


Product Specifications Sheet

Self - Laminating Vinyl Wrap Around Labels with Ribbon for M21 Printers, 19.05mm (W),
Black on White, Clear



Part No
110927

Brady's M21-750-427 self-laminating vinyl label cartridge is excellent for wire and cable identification. Designed with a clear protective layer to cover the printed text, B-427 material provides superb protection from abrasion, dirt, oils, solvents, water and excess handling.

Overview

Strong Adhesion – adheres well to surfaces that are smooth, rough or powder coated, and to irregular surfaces or surfaces with low surface energy

Highly Resilient and Durable – Abrasion resistant, Outdoor durable, Alcohol resistant, Fuel and Oil resistant, Self-extinguishing

Printable area is 9.53mm and typically fits wires from 16 - 10 gauge.

Certifications – UL Recognized to UL 2238, RoHS compliant to 2011/65/EU (Pass 2015/863)

For material specific performance and properties, please refer to the Technical Data Sheet (TDS)

Specification

Weight (kg)	1.000000
Country of Manufacture	
Colour	Black, Clear, White
Brand Name	Brady®
Primary Noun, Basic Function	Label
Sold	Cartridge of 4.30m
Finish	Matte
Barcode	66282089997
Brady Printer Material Number	B-427
Total Quantity Per Pack	1 Tape per Box
Material	Self-laminating Vinyl
Material Type	Vinyl
Material Properties	Flame-retardant, Self-laminating
Surface	For smooth & textured/rough surfaces
Label Properties	Self Laminating & Wrap Around
Maximum Service Temperature (°C)	70 °C
Minimum Service Temperature (°C)	-70 °C
Adhesive Type	Permanent Acrylic
Average Outdoor Durability	Not Recommended
Voice/Data Application	Communication Cables
Print Technology	Thermal Transfer
Resistance Properties	Abrasion-Resistant, Chemical-Resistant, Humidity-Resistant, Oil-Resistant, Smear-Resistant, Water-Resistant, Weather-Resistant
Printer supply or Pre-printed	Printer supply
Wire Diameter (mm)	2.00mm to 3.00mm
Maximum Wire Gauge	12 AWG

Wire Gauge (mm)	20 AWG - 12 AWG
Application	Data and telecommunications Labelling, General identification, Wire and cable Labelling
Lab Application	General Laboratory Identification, Centrifuges, Conical Tubes, Eppendorf Tubes, Large Tubes, PCR Tubes, Tubes, Vials
Printer and Label Applications	Wire & Cable
Indoor or Outdoor Use	Outdoor Use
Width (mm)	19.05mm
Overall Dimension	19.05mm (W) x 4.30m (L)
Thickness (mm)	0.102mm
Printable Area dimensions (mm)	9.53mm (W)
Printable Area Width (mm)	9.53mm
Roll Length (m)	4.30m
Lab Environment	Freezer, Liquid Nitrogen
Printer Compatibility	M211, M210, M210-LAB, BMP21-LAB, BMP21-PLUS
Continuous or Die-cut	Continuous
Compatible Surface Types	General