

Safety Data Sheet

SDS acc. Hazard Communication Standard

REF: 645014

ExTh MN 645, 28x120 mm

Page: 1/8

Printing Date: 15.01.2026

Date of Issue: 18.07.2022

Version: 2.2.2.2

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product Identifier / Product Name

REF 645014
Product Name ExTh MN 645, 28x120 mm

25 x Extraction thimbles made from pure cellulose MN 645

1.2 Relevant identified Uses of the Substance or Mixture and Uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the Supplier and of the Safety Data Sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG
Valenciennner Str. 11, 52355 Düren, Germany
Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency Telephone Number

Information not necessary.

You find our current versions of SDS in Internet:

<<http://www.mn-net.com/SDS>>

SECTION 2: Hazard(s) Identification

2.0 Classification of the complete Product

Hazard Identification	Hazard Classes/Categories

2.1 Classification of the substance or mixture

Extraction thimbles made from pure cellulose MN 645

Signal Word Do not need labelling as hazardous
-

No Hazard Class

List of H phrases: see section 16.2

2.2 Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

Extraction thimbles made from pure cellulose MN 645

Do not need labelling as hazardous

Signal Word: -

Label elements of the complete product

Signal Word: -

2.3 Other Hazards

Possible Hazards from physicochemical Properties

According to our current status of knowledge and experience we state, that this product does not contain any substances, which - in accordance with EC regulations 1272/2008/EC, 1907/2006/EC and German Regulations for Hazardous goods - have to be declared as dangerous goods, either because of their applied concentration or because of their total amount in anyone kit.

An individual package has considerably less hazardous potential. Less hazardous potential from dust.

Cellulose is exempt from registration (REACh Art. 2 (7)a and Annex IV). This product is an article, which do not emit any hazards.

According to REACh no Safety data sheet is necessary.



MACHEREY-NAGEL GmbH & Co. KG
Valenciennner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

SDS acc. Hazard Communication Standard

REF: 645014

ExTh MN 645, 28x120 mm

Page: 2/8

Printing Date: 15.01.2026

Date of Issue: 18.07.2022

Version: 2.2.2.2

Information pertaining to particular Risks to Human and possible Symptoms

Information pertaining to particular Risks to the Environment

PBT: not applicable

vPvB: not applicable

Possible endocrine disrupting effects

data not available

SECTION 3: Composition/Information on Ingredients

3.1 Substances or 3.2 Mixtures

Extraction thimbles made from pure cellulose MN 645

Substance name: *cellulose paper*

CAS No.: 9004-34-6

Substance rating: No criteria for classification or naming of chemical is not required.

Chemical Formula: $(C_6H_{10}O_5)_n$

REACH Reg. No.: exempt, Annex IV

EC No.: 232-674-9

Concentration: 90 - <100 %

acc. GHS: The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of Hazard and Precaution phrases: see section 16.2.

SECTION 4: First-Aid Measures

4.1 Description of First-Aid Measures

Place insured person out of danger zone to fresh air immediately.

4.1.1 After SKIN Contact

Remove dust with wetted tissue.

4.1.2 After EYE Contact

Rub dust with teardrops from eyes

4.1.3 After INHALATION of Vapors

After inhalation of dust fresh air should be inhaled.

4.1.4 After ORAL Intake

data not available

4.2 Most important Symptoms and Effects, both acute and delayed

There are no known delayed symptoms or effects for this product.

4.3 Indication of any immediate Medical Attention and Special Treatment needed

No additionally recommendations. ---

SECTION 5: Fire-Fighting Measures

5.1 Extinguishable Media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

data not available

Safety Data Sheet

SDS acc. Hazard Communication Standard

REF: 645014

ExTh MN 645, 28x120 mm

Page: 3/8

Printing Date: 15.01.2026

Date of Issue: 18.07.2022

Version: 2.2.2.2

5.2 Special Hazards arising from the Substance or Mixture

None.

5.3 Advice for Firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional Information

data not available

SECTION 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedure

Not necessary.

6.2 Environmental Precautions

PBT: not applicable

vPvB: not applicable

6.3 Methods and Material for Containment and Cleaning up

Clean working area with water. Flush used water into sewer.

6.4 Reference to other Sections

data not available

SECTION 7: Handling and Storage

7.1 Precautions for Safe Handling

data not available

7.2 Conditions for Safe Storage, including any Incompatibilities

The original product package of MACHEREY-NAGEL allows a safe storage. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 11

Water hazard class (DE): nwg

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific End Use(s)

Product for analytical use.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Extraction thimbles made from pure cellulose MN 645

Chemical: cellulose paper

CAS No.: 9004-34-6

NIOSH: TWA 10 (total) / 5 (resp) mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: TWA 15 (total) / 5 (resp) mg/m³

8.2 Exposure Controls

Not necessary.

8.2.1 Respiratory Protection

Not necessary.

8.2.2 Skin protection / Hand protection

Not necessary.

8.2.3 Eye / Face Protection

Not necessary.

8.2.4 Skin Protection

Not necessary.



MACHEREY-NAGEL GmbH & Co. KG
Valenciennener Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

SDS acc. Hazard Communication Standard

REF: 645014

ExTh MN 645, 28x120 mm

Page: 4/8

Printing Date: 15.01.2026

Date of Issue: 18.07.2022

Version: 2.2.2.2

8.2.5 Hygiene Measures
Information not necessary.

8.2.6 Thermal hazards
data not available

8.3 Limitation and monitoring of environmental exposure
Information not necessary.

SECTION 9: Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Extraction thimbles made from pure cellulose MN 645

a) State of aggregation:	solid
b) Color:	white
c) Odor:	odorless
d) Melting Point:	data not available
e) Boiling Point:	data not available
f) Flammability:	data not available
g) Explosive Limits (lower / upper):	data not available
h) Flash Point:	data not available
i) Autoignition Temperature:	data not available
j) Decomposition Temperature:	data not available
k) pH Value:	data not available
l) Kinematic Viscosity:	data not available
m) Soluble in Water:	data not available
n) Partition Coefficient ($K_{o/w}$):	data not available
o) Vapor Pressure (68°F):	data not available
p) Specific Gravity:	data not available
q) Relative Vapor Density (air=1):	data not available
r) Particle Size:	data not available

9.2 Further Information

9.2.1 Information on physical hazard classes
data not available

9.2.2 Other safety-related parameters
No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.
☐ ☐
data not available

SECTION 10: Stability and Reactivity

10.1 Reactivity
None

10.2 Chemical Stability
no known instability.

10.3 Possibility of Hazardous Reactions
None.

10.4 Conditions to avoid
Not known. None.

10.5 Incompatible Materials
Not known. ---

10.6 Hazardous Decomposition Products
In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

SDS acc. Hazard Communication Standard

REF: 645014

ExTh MN 645, 28x120 mm

Page: 5/8

Printing Date: 15.01.2026

Date of Issue: 18.07.2022

Version: 2.2.2.2

SECTION 11: Toxicological Information

11.1 Information on Toxicological Effects

Following information is valid for pure chemicals. Quantitative data on the toxicity of this product are not available.

Extraction thimbles made from pure cellulose MN 645

Chemical: *cellulose paper*

CAS No.: 9004-34-6

TSCA Inventory: listed California Prop. 65 List: not listed

Exposure Routes: inhalation, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system

Symptoms: irritation eyes, skin, mucous membrane

Canada CEPA 1999: DSL yes

LD50 orl rat : > 5000 mg/kg

LC50 inh rat : > 5,800 mg/L/4H

11.2 Other Hazards

Possible endocrine disrupting effects

data not available

Other Information

no additional data available

SECTION 12: Ecological Information

12.1 Toxicity

Following information is valid for pure chemicals.

Extraction thimbles made from pure cellulose MN 645

Substance name: *cellulose paper*

CAS-Nr.: 9004-34-6

Water hazard class (DE): nwg

Storage class (VCI): 11

12.2 Persistence and Degradability

12.3 Bioaccumulative Potential

12.4 Mobility in Soil

12.5 Results of PBT and vPvB Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

data not available

12.7 Other Adverse Effects

no additional data available

SECTION 13: Disposal Considerations

Not necessary.

13.1 Waste Treatment Methods

GENERAL: Empty solids into municipal waste, empty liquids diluted into drains.

SECTION 14: Transport Information

14.1. -14.4. Not necessary

14.5 Environmental Hazards

none

Safety Data Sheet

SDS acc. Hazard Communication Standard

REF: 645014

ExTh MN 645, 28x120 mm

Page: 6/8

Printing Date: 15.01.2026

Date of Issue: 18.07.2022

Version: 2.2.2.2

14.6 Special Precautions for User

not necessary

14.7 Carriage of bulk cargo by sea in accordance with IMO instruments

Not applicable.

SECTION 15: Regulatory Information

15.1 Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

U.S. Federal Regulations

OSHA "A Guide to The Globally Harmonized System of Classification and Labelling of Chemicals (GHS)"

<https://www.osha.gov/dsg/hazcom/ghs.html>

29 CFR 1910.1200 Hazard communication.

15.2 Chemical Safety Assessment

data not available

SECTION 16: Other Information

16.1 Changes compared to the last version

in preparation

16.2 List of Hazard and Precaution Phrases

16.2.1 List of relevant H Phrases

H in preparation

16.2.2 List of relevant P Phrases

16.3 Recommended Restriction on Use

None

16.4 Sources of Key Data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)

Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)

Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)

TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019

Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)

Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG

Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)

Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)

Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary

2014-04 adjustment according Regulation 487/2013/EU

2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier

2022-11 adjustment according Regulation 878/2020/EU

16.5 Further Information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

SDS acc. Hazard Communication Standard

REF: 645014

ExTh MN 645, 28x120 mm

Page: 7/8

Printing Date: 15.01.2026

Date of Issue: 18.07.2022

Version: 2.2.2.2

without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

acc:	according
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
Act:	acute
BAT:	biological workplace tolerance value
CAO:	Cargo Aircraft Only
Carc:	carcinogen
CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxygen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not specified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitoneal
ISHL:	Industrial Safety and Health Law (Jp)
LC50:	lethal concentration 50%
LD50:	lethal dose 50%
leuciscus idus:	fisch, ide, orfe
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchus mykiss:	fish, rainbow trout
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
pH:	pH value
pimephales promelas:	fish, fathead minnow
PNEC:	Predicted No Effect Concentration
PROC 15:	Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	polyvinyl chloride
quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RE:	repeated
REACH:	Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number, reference number
Reg.No.:	rRegistration number
Repr:	harmful to reproduction
Resp:	respiratory
scu:	sub cutan
RIP:	REACH Implementations Projects
SDS:	safety data sheet
Sens:	sensitisation



MACHEREY-NAGEL GmbH & Co. KG
Valenciennr Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

SDS acc. Hazard Communication Standard

REF: 645014

ExTh MN 645, 28x120 mm

Page: 8/8

Printing Date: 15.01.2026

Date of Issue: 18.07.2022

Version: 2.2.2.2

STEL: short term exposure limit
 STOT: Specific Target Organ Toxicity
 SVHC: Substance of Very High Concern
 t/a: tons per year
 TCCA: Toxic Chemicals Control Act (S. Korea)
 Tox: toxic
 TSCA: The Toxic Substances Control Act (US)
 TWA: time weighted average
 TRGS: technical regulations (DE)
 vPvB: very persistent, very bioaccumulating substance

16.7 Training Advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.