# ZARGES Eurobox –

the case with the distinctive blue corners.



Well-equipped for any situation.

But only the original from ZARGES offers the important differences.



(1) With foam seal all round. Protected against wear, overloading and squashing.



2 Sealing function also included in the corner areas.



(3) Stainless steel hinges riveted into the sheet metal jacket and lid full-profile section.



(4) Stacking corners made from impact-resistant plastic.



(5) Two heavy duty lid holding straps. Sealed at the ends to prevent fraying. Will not be torn out under heavy loads. Attached with special rivets (with extralarge heads).

The Eurobox is available


in 10 standard sizes.



Drop handles with return spring (stainless steel) and plastic sheathing, ergonomic, heavy-duty.



(7) All riveted joints with full rivets.



Depending on size, corner beading for added stability.



Aluminium/stainless steel snap fastener/hook. Corrosion-resistant, can be fitted with lead seal, plug lock, shackle thickness 6 mm and catch spring retention (anti-opening feature).



(10) Edge, base, lid profilesection frame made from full profile sections, joints fully welded.

## Tailored to your needs – more variety in Comfort fasteners.

The ZARGES Comfort fasteners can be equipped with a mortise lock or with catch spring retention (anti-opening feature). They can also be secured with a shackle lock or lead seal.



Fastener with plug lock



Fastener with catch spring retention (anti-opening feature) and plug lock



Fastener with spring antiopening feature



Fastener with clip and shackle lock





Ergonomic ZARGES Comfort handle for loads of up to  $50\ kg$ 



ZARGES Comfort fastener with extremely long service life

The sturdy and lightweight transportation and storage solution with distinctive blue corners and a comprehensive range of accessories.

- Sturdy aluminium universal box.
- Peripheral foamed seal in the lid for protection against dust and splashwater.
- Fitted with two sturdy lid holding straps.
- Stacking corners made from impact-resistant plastic ensure safe stacking.
- Edge, lid and base profile frames made of fully welded aluminium sections for high stability.
- Corner beads for additional dimensional stability.
- ZARGES Comfort fastener for ergonomic operation.
- Can be secured with a plug lock, lead seals or a padlock (max. shackle thickness 6 mm).
- Fasteners can be retrofitted with catch spring retention (anti-opening feature).
- ZARGES Comfort handles for ergonomic handling and loads of up to 50 kg.
- High degree of resistance to corrosion thanks to stainless steel fittings.

See No.	Inside dimensions L × W × H, approx. mm	Outside dimensions L × W × H, approx. mm	Volume, approx. l	Weight, approx. kg	Order No.
1	350 × 250 × 310	400 × 300 × 340	27	3.0	40700
2	550 × 350 × 220	925 × 400 × 250	42	4.7	40701
3	550 × 350 × 310	600 × 400 × 340	60	4.9	40702
4	550 × 350 × 380	600 × 400 × 410	73	5.2	40703
5	640 × 230 × 280	670 × 260 × 310	41	4.5	40711
6	750 × 350 × 310	800 × 400 × 340	81	6.1	40704
7	750 × 550 × 380	800 × 600 × 410	157	7.5	40705
8	750 × 550 × 580	800 × 600 × 610	239	8.9	40706
9	1,150 × 750 × 480	1,200 × 800 × 510	414	13.0	40709
10	1,150 × 250 × 220	1,200 × 300 × 250	63	6.3	40710

### **Eurobox interior fittings**

### Attaché insert

A practical folder for documents and stationery, it is made of hard-wearing fabric and is easily fitted due to its self-adhesive design.

Dimensions L × W × H, approx. mm	Fits inside dimensions from L × W, approx. mm	Order No.
430 × 290 × 20	550 × 350	40626



### Tool bag

A portable, detachable storage bag for tools. Made from hard-wearing fabric. Installed with 2-piece hollow rivets.

430 × 260 × 40

Dimensions L × W × H, approx. mm	Fits inside dimensions L × W, approx. mm	Order No.

550 × 350

40627

# **NEW**

### Tool bag, self-adhesive

Removable, convenient tool bag made from robust fabric. Easy installation without drilling using an adapter part. Also fits cases with protection classes IP 65 and IP 67.

Dimensions L × W × H, approx. mm	Fits dimensions L × W, approx. mm	Order No.
430 × 260 × 60	550 × 350	40630



### Divider panel system

The individual organisation system for large items, made of high-quality foam, for fitting by the customer.

Including base foam and nubbly foam in the lid.

Dimensions L × W × H, approx. mm	Fits inside dimensions L × W, approx. mm	Order No.
550 × 350 × 190	550 × 350	40730



### Adjustable aluminium divider set

Consisting of a divider panel with 2 notched bars. For even better organisation.

Dimensions W × H, approx. mm	Fits	Order No.
346 × 215	40701	40864
346 × 305	40702-40704	40865



### Box for small components

The organising system for small parts for fitting by the customer. With 21 divider inserts made from PP.

Fits	Order No.
40701-40704	40628







### Foam lining

On request, all Euroboxes can be equipped with a durable, abrasion-proof PE-foam lining:

Base and wall sections made from Plastazote LD 45 (specific gravity 45 kg/m³, thickness 11 mm), lid with PU nubbly foam. Other materials and wall thicknesses on request.





Fits	Inside dimensions L × W × H, approx. mm	Order No.
40700	350 × 250 × 310	43861
40701	550 × 350 × 220	43863
40702	550 × 350 × 310	43864
40703	550 × 350 × 380	43865
40704	750 × 350 × 310	43876
40705	750 × 550 × 380	43877
40706	750 × 550 × 580	43878
40710	1,150 × 250 × 220	43883
40709	1,150 × 750 × 480	43884



### Pick 'n Pluck foam

 $\label{pre-cut} \mbox{Pre-cut flexible-foam inserts made from open-cell PU foam.}$ The fast and simple solution for single items or small batches. Shape can be changed without tools.

Two different sheet thicknesses in the set. Lid insert nubbly foam 30 mm, base foam 10 mm.

Lid insert in self-adhesive design.





Fits	Inside dimensions L × W × H, approx. mm	Order No.
40701	550 × 350 × 220	40735
40702, 40703	550 × 350 × 380	43854
40704	750 × 350 × 310	43855
40705	750 × 550 × 380	43856
40710	1,150 × 250 × 220	40737

### **Eurobox mobility**

Designation	Order No.
2 fixed castors each with a clamping mechanism 1 × left and 1 × right.	40741
2 swivel castors each with clamping mechanism 1 × left and 1 × right.	40742

### Clip-on castors

Mobility for all models from inside dimensions 550 mm × 350 mm upwards. Can be fitted without the use of tools. Made of solid rubber,  $\emptyset$  100 mm, swivel castors fitted with wheel brakes. Load capacity 100 kg on 4 castors.



Order N	0.
40738	}

### Add-on castors

2 castors made from high-quality polyamide. Simple assembly. Load capacity 50 kg/set. Ideal for boxes with an outside length of 800 mm-1,000 mm. Delivery includes the required mounting

equipment and assembly instructions.



Order No.	
40739	

The supplementary kit 40740 allows you to use the trolley with other cases

### **Trolley**

Telescopic trolley. For easy fitting by the customer. Pull-out and lockable handle. Trolley can be removed without the use of tools.

Ideal for boxes with an outside length of 500 mm-800 mm.

Easy-running running gear,  $\emptyset$  54 mm. Load capacity 30 kg.



Order No.	
40740	

### Supplementary kit for trolleys

Supplementary kit allows you to use the trolley with other cases.



Fits outside dimensions L × W, approx. mm	Order No.
600 × 400 and 580 × 380	40607
800 × 600 and 760 × 580	40408

### W 150 dolly trolley

Aluminium chassis, low version. Chassis: 2 swivel and 2 fixed castors,  $\emptyset$  125 mm, 40 m wide, easy running, rubber wheels, "non-marking", roller bearings, thread guards. Load capacity 150 kg.



Fits outside dimensions L × W, approx. mm	Order No.
760 × 580	40680

### W 152 dolly trolley

Aluminium chassis, high version. H = 450 mm.

Chassis: 2 swivel and 2 fixed castors, corner-mounted, Ø 125 mm, 40 mm wide, easy running, rubber wheels, "nonmarking", roller bearings, thread guards. Load capacity 150 kg.





### Shackle lock

Shackle lock with 3-digit, freely selectable number combination. Shackle diameter 5 mm.

Fits	Order No.
All ZARGES cases	46989



### TSA shackle lock

Shackle lock with 3-digit, freely selectable number combination. The shackle lock can be opened by American TSA staff without it being damaged.

Fits	Order No.
All ZARGES cases	46789



### Lock set

For all cases designed to be equipped with locks in snap fasteners. Consisting of 2 locks and 2 keys.

Description	Order No.
Only simultaneously closing as a set	40832
Complete series of identical locks	40833



### Spring anti-opening feature

For all cases with Comfort fastener. Prevents the fasteners accidentally springing open.

Order No.
40834



### Adhesive label for delivery notes

Fixed position for shipping labels. Self-adhesive design. Easy to clean.

Dimensions L × W, approx. mm	Order No.
280 × 280	343904



### **Anchoring cable**

Prevents the locked Eurobox being carried away. Quick securing on construction sites or inside vehicles. The cable can only be released when the lid is open.

Plastic-sheathed stainless steel cable, diameter 8 mm, 10 mm including sheathing. Length 1.20 m. One end of the cable equipped with a loop. Fits all Euroboxes.

Assembly	Order No.
Through ZARGES	375891
Self-mounting	41838

### **Eurobox accessories**

Designation	Inside dimensions, L × W, approx. in mm						Order No.	
	350 × 250	550 × 350	640 × 230	750 × 350	750 × 550	1,150 × 250	1,150 × 750	
Attaché insert	-	1	-	1	1	-	1	40626
Tool bag	-	1	-	1	1	-	1	40627, 40630
Box for small components	-	1	-	1	-	-	-	40628
Divider panel system	-	1	-	-	-	-	-	40730
Pick 'n' Pluck foam set 1	<b>√</b> 1]	1	-	-	-	-	-	40735
Pick 'n' Pluck foam set 2	-	-	-	<b>✓</b> 1]	1	-	-	40736
Pick 'n' Pluck foam set 3	-	-	-	-	-	1	-	40737
Adjustable aluminium divider set 1	-	1	-	1	-	-	-	40864
Adjustable aluminium divider set 2	-	1	-	1	-	-	-	40865
Adjustable aluminium divider set 3	-	-	-	-	-	-	-	40866
W 150 dolly trolley	-	1	-	-	-	-	-	40607
W 150 dolly trolley	-	-	-	-	1	-	-	40608
W 152 dolly trolley	-	-	-	-	1	-	-	40680
Add-on castors	-	-	-	1	1	1	-	40738
Trolley	-	1	-	1	-	-	-	40739
Clip-on fixed castors	-	1	-	1	1	-	1	40741
Clip-on swivel castors	-	1	-	1	1	-	1	40742
Lock set, only identical locks in one set	1	1	1	1	1	1	1	40832
Lock set, complete series of identical locks	1	1	1	1	1	1	1	40833
Spring anti-opening feature	1	1	1	1	1	1	1	40834
TSA shackle lock	1	1	1	1	1	1	1	46789
Shackle lock	1	1	1	1	1	1	1	46989

<sup>1)</sup> Must be cut to size



**40626 Attaché insert** Page 31



**40627 Tool bag** Page 31



**Tool bag, self-adhesive** Page 31



**41820 Lid bag** Page 31



**40730 Divider panel system**Page 31



**40735-40737 Pick 'n Pluck foam set**Page 31



**40864-40866 Adjustable aluminium divider set**Page 31



**40680 W 152 dolly trolley** Page 31



**40738 Add-on castors** Page 31



**40739 Trolley** Page 31



**40741, 40742 Clip-on castors** Page 31



**40832, 40833 Lock set** Page 31



40834 Spring anti-opening feature Page 31



**46789 TSA shackle lock** Page 31

### Possible combinations

Order No.		40626	40627	40628	40730	40735, 40736	40864, 40865, 40866
Description		Attaché insert	Tool bag	Box for small compo- nents	Divider panel system	Pick 'n Pluck foam set	Aluminium divider set
40626	Attaché insert	-	-	-	✓	✓	-
40627	Tool bag	-	-	-	1	✓	-
41820, 41821	Lid bag	-	-	-	1	✓	✓
40730	Divider panel system	✓	✓	✓	-	-	-
40735, 40736	Pick 'n Pluck foam set	✓	✓	✓	-	-	-
40864, 40865, 40866	Aluminium divider set	-	-	-	-	-	-

Note: Combinations depend on the case heights. In some cases, it may be necessary, e. g. to shorten parts of the adjustable divider panel system or to leave out a layer of the Pick 'n Pluck foam set.