

Rental Service

RENTAL EQUIPMENT CATALOGUE



Dräger Rental Service

helps you to manage your safety operations
simpler, safer, more reliable,
flexible and economical.



GLOBAL
NETWORK



AVAILABILITY



PROFESSIONAL
LOGISTICS

Sound planning is essential for superior safety management. However, in practice, things don't always go as planned. Breakdowns or unforeseen incidents can result in bottlenecks or demand peaks which can require special equipment for specific operations.

With Dräger Rental Service you are prepared to deal with every situation. More than 125,000 rental equipment items are available worldwide.

This catalogue is your tool to learn about our extensive rental equipment portfolio. In line with our motto, Dräger Services – more than you expect, we present our entire range of safety-related products on 174 pages, in clear and concise form – by Dräger and other renowned manufacturers.

You will also find our entire range of products and services online at www.rentalshop.draeger.com. And if you already know exactly what you need, you can use our convenient booking tool to place your order right there.

Do you still have questions? Please don't hesitate to contact us at any time! Our experts look forward to providing you with customised advice.

Your Dräger Rental Service Team



All-In-One-Packages



Breathing Air Supply



Gas Detection Technology



Chemical Protective Suits



Fall Protection



Ventilation Systems



Fire Protection



Communication/Lighting/Energy




Vehicles/Construction Site Equipment



Medical and Emergency Medical Technology





»Mine or yours?
This question now
comes up for many
everyday commodities.«

DIRK EICHLER
HEAD OF RENTAL SERVICE
DRÄGER RENTAL & SAFETY SERVICES

Safety technology for rent – a lean business model with a bright future

Whether it's a car, a bicycle or a gas detector: Our everyday tools are most useful when they're on hand exactly when and where you need them. On the other hand, owning them can sometimes become a burden.

That is why, in addition to consumer goods markets, the sharing economy is becoming an increasingly popular concept in the industrial sector. Dirk Eichler, Head of Rental Service, Dräger Rental and Safety Services, about the smart aspects of the rental concept.

For over ten years, Dräger has also been renting out its portfolio of safety technology. What is it that makes renting rather than buying a smart idea?

Dirk Eichler: As the saying goes, "ownership comes with responsibility". This truth also applies when purchasing safety equipment. Gas detectors, for example, must be carefully maintained, calibrated and tested before or after every use. That ties up resources and requires advance planning. For these reasons and more, our customers can rely on our rental equipment to be ready to use and fully functional, and most importantly, have it delivered on short notice. It is similar to car sharing, which is becoming increasingly popular. In this case, subscribers pay a basic amount plus a usage-based fee and therefore do not have to invest a great deal of time and expense in purchasing, repairs, taxes and insurance coverage.

Car sharing models benefit from high location density, so that no matter where the customer happens to be, ideally, there is always a car nearby. Are international industrial companies always able to access the Dräger rental equipment portfolio, from any of their sites?

Dirk Eichler: Of course. Our rental equipment portfolio currently includes 1,500 different products. That amounts to around 125,000 rental equipment items, distributed across 18 warehouses worldwide. Products are shipped from there. Whether gas detectors, respirators or ATEX-approved radio units – we have just about everything in the area of safety technology required to cover demand peaks, for maintenance projects or shutdowns.

You make a point of particularly emphasising the topic of short-term nature, e.g. when demand peaks occur. What lead times must be considered when placing an order?

Dirk Eichler: Of course that depends on when and where the equipment is needed and how many items are to be deployed. Frequent orders can be delivered within one to two business days.

How is it that you manage to keep track of the myriad variety of equipment?

Dirk Eichler: We work with IT-supported fleet management systems. We use a web tool, bar codes and bar code scanners that enable us to directly read, process and document equipment information. Depending on the type of contract they have, our customers can also make use of these software solutions.

Some customers may need a smaller-scale solution, as it involves only single-use requirements or because they have their own measurement and control technology department. Others require a larger scope. What are the options here?

Dirk Eichler: That is precisely why we have structured our Dräger Rental Service to offer three service levels: Basic, Advanced and Professional. They comprise different service packages with respect to free delivery, pick-up service, maintenance, repairs on-site or in our workshops and much more. We are happy to provide you with advice in selecting the most appropriate package.

Honestly: Isn't it a disadvantage for Dräger if customers choose to rent rather than buy?

Dirk Eichler: From our perspective, rental and purchase are not mutually exclusive – quite the contrary, they are perfectly complementary. After all, there are customers for whom buying is absolutely not worthwhile.

Renting or buying – when does one or the other pay?

Dirk Eichler: I can't give you a simple, blanket answer to that question, since the needs of our customers are extremely individual. In general, however, you could say that in the event of great uncertainty regarding actual requirements, a rental solution constitutes an attractive alternative to purchasing. Since the rental contract can be extended at any time, it provides for increased flexibility. On the other hand, an investment in your own equipment usually takes longer to amend. Moreover, rental is frequently a better choice if the need for safety equipment is only temporary. In this case, purchasing your own equipment would not make economic sense.



Dirk Eichler
Head of Rental Service, Dräger Rental and Safety Services



Safety without compromise – on lean terms

When your situation gets tight, you can look forward to a broad range of products and services with us. With more than 125,000 rental equipment items, Dräger Rental Service ensures that you are perfectly equipped to take on any deployment.

MAXIMUM EFFICIENCY, MAXIMUM FLEXIBILITY

No matter whether you require one item or a thousand, whether you want to bridge a short-term bottleneck or have a longer-term need for special equipment. Dräger Rental Service works with you to come up with individual customised solutions.

You have a choice of three different packages with tiered scopes of service. The same applies for every package: You pay only for the time in which you actually need the equipment.

Rental Basic

Cost-effective and simple: We configure the safety technology for individual customer needs and deliver it ready-to-use, free of charge.

Rental Advanced

Convenient package with extensive service features. We supply the equipment and assume all maintenance, calibration, and repair work at a Dräger workshop during the entire term of the contract. For the administration of large pools of equipment, you have the option of using the Rental web tool.

Rental Professional

Full-service rental package with 360 degree service. We supply all requested equipment to your facility, ready-to-use. All necessary maintenance, calibration and repair work is performed on-site at your company. So you can fully focus on your core business.

You can rely on it: We will find the safest solution

Especially when things get tricky, you can count on our cross-industry experience. At Dräger Rental Service, you are advised by competent experts who are familiar with and understand all the demands of your job.



Dräger Rental Service is certified according to DIN ISO 9001/DIN ISO 14001 as well as SCC/VCA (Safety Certificate Contractors).

Fast, easy and convenient

And no matter what you order: It is delivered to you ready-to-use. And even for the return and management of rental equipment, your effort and expenditure are kept to a minimum. All you have to do is place your order with your Dräger representative or online at <http://www.rentalshop.draeger.com>

SAFETY IS A MATTER OF TRUST

When you rent from Dräger, you get quality: high-grade safety equipment that complies with international standards and is continually tested and maintained. You can also trust our services. Working together, we quickly find the products or equipment configurations that comply with your precise requirements.

To ensure that equipment replacement and maintenance procedures function smoothly, we use state-of-the-art logistics software. You rent at a fair fixed price that is determined by the rental term. Reliable and transparent.

Content

ALL-IN-ONE-PACKAGES

STARTING ON PAGE 12

BREATHING AIR SUPPLY

STARTING ON PAGE 32

Half Masks – Multiple Use	34
Full-Face Masks – Normal Pressure	35
Full-Face Masks – Positive Pressure	36
Full-Face Masks Accessories	38
Powered Air-Purifying Respirators	39
Purifying Respirators – Head Pieces	41
Powered Air-Purifying Respirators Accessories	43
Filtering Escape Devices	44
Escape Devices – Compressed Air	47
Escape Devices – Oxygen	48
Compressed Air and Closed-Circuit Breathing Apparatus	49
Compressed Air and Closed-Circuit Breathing Apparatus Accessories	52
Lung Demand Valves – Normal and Positive Pressure	53
Compressed Air Hose Units	55
Compressed Air Hose Unit Accessories	60
Breathing Air Compressors	62
Breathing Air Compressor Accessories	65
Compressed Air Cylinders	66

GAS DETECTION TECHNOLOGY

STARTING ON PAGE 70

Portable Single-Gas Detection Devices	72
Portable Multi-Gas Detection Devices	75
Accessories for Portable Single- and Multi-Gas Detection Devices	84
Testing and Calibration Stations for Portable Detection Devices	88
Multi-Gas Scanners	92
Short-Term Measurement Systems	95
Alcohol and Drug Measuring Systems	100
Area Monitoring Systems	102

CHEMICAL PROTECTIVE SUITS

STARTING ON PAGE 104

FALL PROTECTION

STARTING ON PAGE 108

Fall Arresting Devices	110
Harnesses	118
Fall Preventers	119
Anchorage Systems	121
Fall Protection Accessories	123

VENTILATION SYSTEMS**STARTING ON PAGE 124**

Electrically Operated Ventilation Systems for Non-Hazardous Areas	126
Electrically Operated Ventilation Systems for Hazardous Areas	127
Compressed Air Operated Ventilation Systems for Hazardous Areas	128
Ventilation System Accessories	129

FIRE PROTECTION**STARTING ON PAGE 130**

Fire Protection	132
Water-Bearing Fittings	134
Fire Hoses	137
Fire Fighting Vehicles/Portable Fire Pumps	138
Safety Equipment for Hot Work	139

COMMUNICATION/LIGHTING/ENERGY**STARTING ON PAGE 140**


Mobile Radio Systems	142
Mobile Radio System Accessories	145
Mobile Communication	148
Alarm Amplifiers	149
Mobile Lighting	150
Lighting Accessories/Safety Transformers	152

**VEHICLES/
CONSTRUCTION SITE EQUIPMENT****STARTING ON PAGE 154**

Bicycles	156
Transportation and Storage Tools	157
Handling Equipment	160
Construction Site Safety	161

**MEDICAL AND EMERGENCY
MEDICAL TECHNOLOGY****STARTING ON PAGE 164****IN ACTION FOR YOU WORLDWIDE****STARTING ON PAGE 168****SIMPLY ORDER NOW!****STARTING ON PAGE 171****STANDARD RENTAL TERMS
AND CONDITIONS****STARTING ON PAGE 172****RENTING THE RIGHT WAY. QUICK AND
EASY TO USE: OUR RENTAL STARS.**

Products highlighted as Rental Stars are always available and have proved themselves in practice many times. The symbol helps you to find the right choice. Our Rental Stars are marked throughout the entire catalogue so that you can find them quickly and easily. Keep an eye out for this symbol.





ALL-IN-ONE-PACKAGES

In high demand, proven in everyday practice: For standard applications such as hot work, leak detection or work in confined spaces and silos, we assemble All-In-One-Packages for you, containing all the essentials needed to do your job safely. There is no tedious configuration, as equipment compatibility is done beforehand. This reduces your lead time. All you have to do is unpack, activate, apply and get started.

All-In-One-Packages



All-In-One-Package Personal Gas Detection Device Ex (Catalytic), O₂, CO, H₂S

Ex-Ox-Tox... gas hazards!

Description: When you need to monitor multiple gases simultaneously, multi-gas detection devices like the Dräger X-am® 5000 generation are the right choice. Dräger gas detection technology reliably helps you track down a wide range of hazardous substances in the ambient air, even at low concentrations.

The compact, ergonomic device is ideal for everyday personal safety.

Rental No.: KIT 1

Scope of delivery	All-In-One-Package consisting of:	Rental No.	Order No.
	Dräger X-am® 5000	SRM04207	8320000
	Dräger X-am 1/2/5x00 Charging module	SRM03693	8318639
	Battery charger 12 V/1.2 A (for 1 X-am 7000 or 2 X-am 2/5x00)	SRM06539	8315635
	DrägerSensor CatEx 125 PR	SRM04311	6812950
	DrägerSensor XXS H ₂ S	SRM04312	6810883
	DrägerSensor XXS O ₂	SRM04313	6810881
	DrägerSensor XXS CO	SRM04371	6810882



All-In-One-Package Personal Gas Detection Device Ex (Infrared)/ CO₂, O₂, CO, H₂S

Ex-Ox-Tox... gas hazards!

Description: When you need to monitor multiple gases simultaneously, multi-gas detection devices like the Dräger X-am® 5600 series are the right choice. They reliably monitor the ambient air for explosive gases and fumes like O₂, CO, CO₂ and H₂S.

The high-power IR Ex infrared sensor is designed to withstand the most demanding conditions.

Rental No.: KIT 2

Scope of delivery	All-In-One-Package consisting of:	Rental No.	Order No.
	Dräger X-am® 5600	SRM06492	8321050
	Dräger X-am 1/2/5x00 Charging module	SRM03693	8318639
	Battery charger 12 V/1.2 A (for 1 X-am 7000 or 2 X-am 2/5x00)	SRM06539	8315635
	DrägerSensor Dual IR Ex/CO ₂	SRM06493	6811960
	DrägerSensor XXS H ₂ S	SRM04312	6810883
	DrägerSensor XXS O ₂	SRM04313	6810881
	DrägerSensor XXS CO	SRM04371	6810882

D-385-2017



All-In-One-Package Area Monitoring Ex, O₂, CO, H₂S, CO₂

Ex-Ox-Tox... gas hazards!

Description: Dräger gas detection technology reliably helps you track down a wide range of hazardous substances in the ambient air, even at low concentrations.

The Dräger X-am® 7000 generation multi-gas detection device is the right choice for reliably monitoring the ambient air for toxic and/or flammable gases and fumes.

Plus, you can use it in combination with specially developed accessories to conduct clearance tests for safe entry of confined spaces, such as process columns.

Rental No.: KIT 3

Scope of delivery

All-In-One-Package consisting of:

	Rental No.	Order No.
Dräger X-am® 7000	SRM03700	8317400
Dräger X-am 7000 Charging module	SRM03699	8316487
Battery charger 12 V/1.2 A (for 1 X-am 7000 or 2 X-am 2/5x00)	SRM06539	8315635
DrägerSensor Smart IR CO ₂	SRM04302	6810590
DrägerSensor Smart CatEx	SRM04308	6810710
DrägerSensor XS R CO	SRM04326	6810258
DrägerSensor XS R H ₂ S	SRM04327	6810260
DrägerSensor XS R O ₂ LS	SRM04328	6810262
Dräger X-am 7000 Pump	SRM03937	8317406
Dräger X-am 7000 Pump adapter incl. water and dust filter	SRM06052	8317639
Dräger Float probe (including 10 m hose)	SRM03960	6807097



D-14289-2014

All-In-One-Package Area Monitoring (X-zone) Ex, O₂, CO, H₂S



Wireless alarm chains

Description: The Dräger X-zone 5500 transforms Dräger X-am® 5000 personal gas detection devices into innovative area monitoring devices with a wide range of possible applications.

Connect up to 25 individual devices in a single wireless network (for example, inside storage tanks) to secure the entire area.

A patented combination for added safety: in addition to personal safety devices worn on the body, these durable, waterproof area monitors can be placed directly in spots that are prone to gas leaks.

Rental No.: KIT 4

Scope of delivery

All-In-One-Package consisting of:

	Rental No.	Order No.
Dräger X-zone 5500 Pump, 868 MHZ/24 AH	SRM10246	8324821
Dräger X-zone 5000 Diffusion cap	SRM06268	8323935
Dräger X-zone 5000 Holder X-am pump	SRM06269	8323936
Dräger X-zone 5000 Single charger 15 V/2 A	SRM06274	8320749
Dräger X-am 5000	SRM04207	8320000
Dräger X-am 1/2/5x00 Charging module	SRM03693	8318639
Battery charger 12 V/1.2 A (for 1 X-am 7000 or 2 X-am 2/5x00)	SRM06539	8315635
DrägerSensor CatEx 125 PR	SRM04311	6812950
DrägerSensor XXS H ₂ S	SRM04312	6810883
DrägerSensor XXS O ₂	SRM04313	6810881
DrägerSensor XXS CO	SRM04371	6810882



All-In-One-Package Area Monitoring (Infrared) Ex, O₂, CO, H₂S, CO₂

Ex-Ox-Tox... gas hazards!

Description: Dräger gas detection technology reliably helps you track down a wide range of hazardous substances in the ambient air, even at low concentrations.

When you need to monitor multiple gases simultaneously, the Dräger X-am® 8000 multi-gas detection device is the right choice. It simultaneously detects up to seven toxic and/or flammable gases and fumes, as well as oxygen – either in pump or diffusion mode.

The innovative signalling design and convenient assistant functions ensure maximum safety throughout the process. Specially developed accessories enable you, for example, to conduct clearance tests for safe entry into confined spaces.

Rental No.: KIT 5

Scope of delivery

All-In-One-Package consisting of:

	Rental No.	Order No.
Dräger X-am® 8000	SRM11894	8325800
Dräger X-am 8000 Pump adapter incl. dust and water filter	SRM11896	8326820
Dräger X-am 8000 Pump	SRM11895	–
Dräger Telescopic probe 100, with accessories	SRM06278	8316530
Dräger Inductive charger for charging 1 device	SRM11897	8325825
Dräger Adapter for power plug	SRM11943	8325736
Dräger Power plug 100-240 VAC; 1.33A	SRM09765	8321849
Dräger X-dock® Module Dräger X-am® 8000+	SRM11903	8321894
Dräger X-am 8000 Leather carrying case	SRM11898	8327664
DrägerSensor IR CO ₂	SRM07713	6812190
DrägerSensor XXS CO/CO LC	SRM04371	6810882
DrägerSensor Cat Ex 125	SRM04311	6812950
DrägerSensor XXS O ₂	SRM04313	6810881
DrägerSensor XXS H ₂ S	SRM04312	6810883



D-381-2017

All-In-One-Package Multi-Gas Scanner for Detecting Volatile Organic Compounds*

Innovative technology for detecting volatile organic compounds (VOCs) as well as carcinogens

Description: The X-pid® 9500 was specially developed for monitoring safety limits of carcinogenic substances in low concentration ranges.

The gas detection device monitors levels of benzene, butadiene and other VOCs in the ambient air.

Thanks to its high sensitivity, it reliably detects VOCs within the parts-per-billion (ppb) concentration range during clearance tests for safe entry into containers, silos and other confined spaces.

Rental No.: KIT 6

*Please contact the Dräger Rental Service for information about availability.

Scope of delivery

All-In-One-Package consisting of:

	Rental No.	Order No.
Dräger X-pid® 9500	SRM11924	6851848
Dräger Case with inlay for Dräger X-pid® 9x00	SRM11925	6851851
Test Gas 58 L, C4H8, C7H8/N2 (X-pid)	SRM11981	6814046
Control valve basic 0.5 LPM	SRM06501	6810397
Dräger X-pid® 9500 Test gas adapter	SRM11982	6851850



All-In-One-Package Multi-Gas Scanner for Detecting Volatile Organic Vapours

Innovative technology for detecting volatile organic compounds (VOCs)

Description: The Dräger Multi-PID 2 photoionisation detector is optimally suited for tracking down VOCs.

Thanks to its high sensitivity it reliably detects VOCs within the parts-per-million (ppm) concentration range during leak detection or clearance tests for safe entry into containers, silos and other confined spaces.

Rental No.: KIT 7

Scope of delivery	All-In-One-Package consisting of:	Rental No.	Order No.
	Dräger Multi-PID 2	SRM03893	8318320
	Dräger Field case for Multi-PID 2	SRM06407	8317663
	Dräger Charger EU/220 V for Multi-PID 2	SRM06979	8317661
	Test Gas 58 L, 100 ppm I-C4H8/air	SRM08873	6811629



All-In-One-Package Multi-Gas Scanner for Detecting Volatile Organic Vapours

Innovative technology for detecting volatile organic compounds (VOCs)

Description: The Phocheck Tiger is optimally suited for tracking down VOCs.

Thanks for its high sensitivity, it reliably detects organic compounds, even in the low parts-per-billion (ppb) concentration range, during leak detection or clearance tests for safe entry into containers, silos and other confined spaces.

The Tiger PID is ATEX-, IECEx-, UL- and CSA-certified.

Rental No.: KIT 8

Scope of delivery	All-In-One-Package consisting of:	Rental No.
	Phocheck Tiger PID	SRM10744
	Field case PID (Phocheck Tiger)	SRM10776
	Battery charger PID (Phocheck Tiger)	SRM10802
	Charging module PID (Phocheck Tiger)	SRM10803
	Pretube holder PID (Phocheck Tiger)	SRM10806
	PID lamp module 10.6 V (Phocheck Tiger)	SRM10775

D-115-2018



All-In-One-Package Mobile Radio System

Modern communication from A to Z

Description: Modern communication solutions make it easier than ever to work on sprawling areas.

Dräger offers you mobile radio systems which are characterized by easy handling.

The user is able to fully concentrate on the task at hand.

The mobile radio systems and accessories are also ATEX-approved.

Rental No.: KIT 9

Scope of delivery

All-In-One-Package consisting of:

	Rental No.
2 × Radio Device GP340 ATEX UHF, Light Blue (Motorola)	SRM06546
2 × Lithium ion battery (ATEX) for GP340/380 (Motorola), grooved	SRM06545
2 × Power supply for single charging unit GP340/380 (Motorola)	SRM03889
2 × Single charging unit GP340/380 (Motorola)	SRM03888
2 × Leather carrying case GP340/380 (Motorola)	SRM03767
2 × Shoulder strap for leather carrying case GP340/380 (Motorola)	SRM03769



All-In-One-Package Self-Contained Breathing Apparatus

Ergonomic, lightweight and extremely comfortable

Description: Whenever you need a self-contained supply of breathing air, the self-contained air breathing apparatus all-in-one-package, consisting of Dräger full-face mask (e.g. Panorama Nova full-face mask), a Dräger lung demand valve, Dräger breathing air cylinder and Dräger self-contained breathing apparatus is the number one choice.

The system is ergonomically designed and offers ultimate comfort as well as maximum safety for tasks inside containers, silos and confined spaces.

Rental No.: KIT 10

Scope of delivery	All-In-One-Package consisting of:	Rental No.	Order No.
	Dräger PSS 3000 Comfort	SRM06591	3357794
	Dräger Panorama Nova P Triplex	SRM06079	R52992
	DrägerMan PSS-A Lung Demand Valve	SRM03580	3338700
	Compressed Air Cylinder 6.8 L/300 bar/CFC	SRM03782	3353733



All-In-One-Package External Breathing Air Supply (1 User)

Air supply for long-term use

Description: Do you need a centralised air supply for tasks inside hazardous atmospheres? Our compressed air hose breathing respirators are the ideal solution.

The Dräger PAS® AirPack1 reliably supplies breathing air to a single user.

All the user needs is a lightweight, wearable system. Thanks to its design, the Dräger PAS® AirPack 1 can always be placed safely within reach on the worksite.

Rental No.: KIT 11

Scope of delivery	All-In-One-Package consisting of:	Rental No.	Order No.
	Dräger PAS® AirPack 1	SRM03914	3352228
	2 × Compressed Air Cylinder 6.8 L/300 bar/CFC	SRM03782	3353733
	Dräger PAS X-plore with Belt	SRM11239	3363584
	Dräger Panorama Nova P Triplex	SRM06079	R52992
	DrägerMan PSS-A Lung Demand Valve	SRM03580	3338700



All-In-One-Package External Breathing Air Supply (4 Users)

Air supply for long-term use with multiple users

Description: A reliable, long-term air supply is indispensable when performing lengthier tasks under hazardous conditions.

The Dräger PAS® AirPack 2 supplies breathing air to up to four users at once.
It is the ideal device for cleaning tanks.

We also rent out all necessary accessories for this system, from reserve cylinders and high-capacity cylinder bundles to pressure reducers, supply hoses and compressed air filter units.

Rental No.: KIT 12

Scope of delivery	All-In-One-Package consisting of:	Rental No.	Order No.
	Dräger PAS® AirPack 2 (4 Users)	SRM03678	3352236
	2 × Dräger 50 L/335 bar/steel Compressed Air Cylinder	SRM03674	–
	Gas cylinder pallet for 12 cyl. a 50 L	SRM09008	–
	2 × Dräger Distributor piece (Y-piece)	SRM03586	R27945
	4 × Dräger Compressed Air Hose, 5 m	SRM03584	AL01260
	4 × Dräger Panorama Nova P Triplex	SRM06079	R52992
	4 × DrägerMan PSS-A Lung Demand Valve	SRM03580	3338700
	4 × Dräger PAS X-plore with Belt	SRM11239	3363584

D-14282-2014



All-In-One-Package X-plore® 8500 Powered Air-Purifying Respirator (PAPR) with Mask

Effective protection against health-hazardous particles

Description: Powered air-purifying respirators together with our hoods and visors, have been specially developed for tasks that require effective protection against particles.

These systems are ergonomically designed and offer ultimate comfort as well as maximum safety, performing reliably even in the harshest conditions.

Thanks to the large selection of respiratory connectors, including masks, hoods, helmets and visors, the device can be configured for the widest range of possible applications.

The compatible filter must be ordered separately.

Rental No.: KIT 13

Scope of delivery

All-In-One-Package consisting of:	Rental No.	Order No.
Dräger X-plore 8500 PAPR Unit	SRM10608	R59500
Dräger X-plore 8000 Standard charger	SRM10610	R59580
Dräger X-plore 8000 High-capacity battery	SRM10609	R59585
Dräger X-plore 8000 Standard belt	SRM10611	R59700
Dräger X-plore 6300 RA	SRM03858	R55800
Dräger X-plore 8000 Flexible hose, masks	SRM10615	R59610
Dräger X-plore 8000 Prefilter	SRM11288	6739730



All-In-One-Package X-plore® 8500 Powered Air-Purifying Respirator (PAPR) with Helmet

Effective protection against particles hazardous to health

Description: Powered air-purifying respirators together with our hoods and visors, have been specially developed for tasks that require effective protection against particles, gases and fumes, or combinations of all these hazards.

These systems are ergonomically designed and offer ultimate comfort as well as maximum safety, performing reliably even in the harshest conditions.

Thanks to the large selection of respiratory connectors, including masks, hoods, helmets and visors, the device can be configured for the widest range of possible applications.

The compatible filter must be ordered separately.

Rental No.: KIT 14

Scope of delivery

All-In-One-Package consisting of:

	Rental No.	Order No.
Dräger X-plore 8500 PAPR Unit	SRM10608	R59500
Dräger X-plore 8000 Standard charger	SRM10610	R59580
Dräger X-plore 8000 High-capacity battery	SRM10609	R59585
Dräger X-plore 8000 Standard belt	SRM10611	R59700
Dräger X-plore Helmet with Visor	SRM07925	R58325
Dräger X-plore 8000 Flexible hose, helmets	SRM10519	R59650
Dräger X-plore 8000 Prefilter	SRM11288	6739730

D-14941-2017



All-In-One-Package X-plore® 8700 (Ex) Powered Air-Purifying Respirator (PAPR) with Helmet*

Effective protection against particles hazardous to health

Description: Powered air-purifying respirators together with our hoods and visors, have been specially developed for tasks that require effective protection against particles, gases and fumes, or combinations of all these hazards.

The X-plore® 8700 (Ex) powered air-purifying respirator is suitable for use inside explosion-hazard zones.

These systems are ergonomically designed and offer ultimate comfort as well as maximum safety.
The compatible filter must be ordered separately.

Rental No.: KIT 15

*Please contact the Dräger Rental Service for information about availability.

Scope of delivery

All-In-One-Package consisting of:	Rental No.	Order No.
Dräger X-plore 8700 PAPR Unit (EX)	SRM11959	R59550
Dräger X-plore 8000 Standard charger	SRM10610	R59580
Dräger X-plore 8000 High-capacity battery	SRM10609	R59585
Dräger X-plore 8000 Standard belt	SRM10611	R59700
Dräger X-plore Helmet with Visor	SRM07925	R58325
Dräger X-plore 8000 Flexible hose, helmets	SRM10519	R59650
Dräger X-plore 8000 Prefilter	SRM11288	6739730



D-393-2017

All-In-One-Package Electric Ventilator Ex



Do you need aeration and ventilation?

Description: In addition to gas detection technologies for detecting concentrations inside confined spaces, storage tanks, processing columns or reactors, Dräger also offers aeration and ventilation systems for purifying the atmosphere of toxic gases and fumes.

We provide standard-performance ventilation systems as well as high-performance systems that can be used for high-speed aeration and ventilation tasks.

Electric ventilators can be used independently from compressed-air systems.

Rental No.: KIT 16

Scope of delivery	All-In-One-Package consisting of:	Rental No.
	DR AirMover 4000 DN 300 Power (air driven, EX)	SRM03997
	DR AirMover antistatic hose for air transport with quick release 7600 x DN303	SRM08342
	Dräger Adapter EX-Connector/socket	SRM06601



All-In-One-Package Compressed Air Ex



Do you need aeration and ventilation?

Description: In addition to gas detection technologies for detecting concentrations inside confined spaces, storage tanks, processing columns or reactors, Dräger also offers aeration and ventilation systems for purifying the atmosphere of toxic gases and fumes.

We provide standard-performance ventilation systems as well as high-performance systems that can be used for high-speed aeration and ventilation tasks.

These ventilators can be connected with existing compressed air systems.

Rental No.: KIT 17

Scope of delivery	All-In-One-Package consisting of:	Rental No.
	DR AirMover 4000 DN 300 Venturi (air driven, EX)	SRM03710
	DR AirMover antistatic hose for air transport with quick release 7600 x DN303	SRM08342
	DR AirMover Compressed Air Supply Hose, 20 m 3/4"	SRM03704



All-In-One-Package Fall Arrest

Working at height

Description: For any tasks that involve a risk of falling, the appropriate safety equipment must be provided and used.

Properly selected safety equipment either fully prevents falls or safely stops the fall.

This equipment limits the fall path and considerably reduces the force of impacts on the body.

Rental No.: KIT 18


Scope of delivery **All-In-One-Package consisting of:**

	Rental No.
Tripod Advanced (Capital Safety)	SRM10627
Harness Standard (Capital Safety)	SRM10626
Karabiner 22 kN (Capital Safety)	SRM10204
Rebel fall arrest device with rescue hoist, 15 m (Capital Safety)	SRM11671



EN 144-1 M1

4.09KG V



BREATHING AIR SUPPLY

Do you have to safeguard your employees from inhaling toxic gases, vapours or dust particles? The rule is: as much protection as necessary, as little physical strain as possible. Your employees should be able to work safely and with as little discomfort as possible. The appropriate solution for all application scenarios is available in our portfolio. Whether these are masks that are used once or repeatedly with filters, self-contained breathing air supply – decentralised or centralised –, powered air purifying respirators or escape masks: Tell us what your job is and we will deliver the right product.

Half Masks – Multiple Use

Dräger X-plore® 3500, Size M

- Description:
- Double-filter half masks
 - Lateral bayonet connectors
 - Mask body made from DrägerFlex material
 - FlexiFit head harness
 - Drop-down strap system with neck clips
 - Carry pouch
 - EN 140

Rental No.:	SRM04988
Order No.:	R55350



ST-14767-2008

Dräger X-plore® 4740, Silicone, Size M/L

- Description:
- Single-filter half masks
 - Protection against gases, fumes and particles
 - Drop-down strap system with neck clips
 - Replaceable screw-on filters
 - Round-threaded connector (Rd40 as per EN 148-1)
 - EN 140

Rental No.:	SRM04447
Order No.:	R55874



ST-12767-2007

Full-Face Masks – Normal Pressure

Dräger X-plore® 6300 RA

- Description:
- Mask body with double-sealed frame and EPDM triple seal line
 - 5-point harness
 - Distortion-free visor made from plexiglass in a plastic frame
 - Round-threaded connector (Rd40×1/7" as per EN 148-1)
 - Plastic exhalation valve cap and plastic speech membrane
 - EN 136 Class 2 with CE marking

Rental No.: SRM03858

Order No.: R55800



ST-7497-2005

Dräger X-plore® 6530 RA Triplex

- Description:
- Mask body with double-sealed frame and EPDM triple seal line
 - 5-point harness and neck strap
 - Visor made from triplex laminated safety glass in stainless steel tenter frame
 - Round-threaded connector (Rd40×1/7" as per EN 148-1)
 - Plastic exhalation valve cap and stainless steel speech membrane
 - EN 136 Class 3 with CE marking

Rental No.: SRM03591

Order No.: R55810



ST-7499-2005

Full-Face Masks – Positive Pressure

Dräger Panorama Nova® ESA

- Description:
- Mask body with double-sealed frame
 - 5-point harness and neck strap
 - 180° panorama visor made from polycarbonate, braced in a stainless steel frame
 - Standard connector plug for German fire brigades (DIN 58600)
 - EN 136 Class 3 with CE marking

Rental No.: SRM04435

Order No.: R55001



ST-78-2004

Dräger Panorama Nova® P Triplex

- Description:
- Mask body and inner mask made from EPDM
 - Visor made from laminated safety glass
 - Dräger connector plug
 - EN 136 Class 3 with CE marking

Rental No.: SRM06079

Order No.: R52992



D-13629-2010

Dräger Panorama Nova® PE Triplex

- Description:
- Mask body and inner mask made from EPDM
 - Visor made from laminated safety glass
 - Standard M45×3 connector acc. EN 148-3
 - EN 136 Class 3 with CE marking

Rental No.: SRM03676

Order No.: R51792



ST-129-2000

Dräger Panorama Nova® RP PC Silicone

- Description:
- With central connector for oxygen equipment (PSS® BG 4 plus)
 - Mask body, inner mask and head harness made from silicone
 - Visor made from polycarbonate with wiper
 - EN 136 Class 3 with CE marking

Rental No.: SRM05074

Order No.: R53316



D-13636-2010

Full-Face Masks Accessories

D-75692-2011



Dräger Wikov V Carrying Box

For all Dräger Panorama Nova and X-plore 5000 and 6000 masks

Made from impact resistant plastic, with adjustable harness

Rental No.: SRM04019

Order No.: R51019

ST-14895-2008



Dräger Welding Shield

Panorama Nova and X-plore welding shield

Hinged shield

Connection for additional cover plate and welding safety filter (size 4.5 × 5.25)

Rental No.: SRM01613

Order No.: 4053437

Powered Air-Purifying Respirators

Dräger X-plore® 8500 PAPR Unit



D-118075-2013

- Description:**
- Two-step alarm concept with differentiation of risk level
 - Operating time between four and 24 hours
 - Protection class IP65 (dust-tight and resistant to water jets from all sides)
 - Automatic filter recognition
 - Automatic hose identification

Note: For use, please order the corresponding hood, helmet or mask with folding hose depending on the required protection class and the accessories, such as battery, charger, comfort strap and filter, separately.

Rental No.: SRM10608

Order No.: R59500

Equipment

	Description	Rental No.	Order No.
A	Dräger X-plore 8000 Welding visor	SRM10812	R59920
	Dräger X-plore 8000 High-capacity battery	SRM10609	R59585
	Dräger X-plore 8000 Standard charger	SRM10610	R59580
B	Dräger X-plore 8000 Standard belt	SRM10611	R59700
C	Dräger X-plore 8000 Flexible hose, helmets	SRM10519	R59650
	Dräger X-plore 8000 Flexible hose, hoods	SRM10614	R59600
	Dräger X-plore 8000 Flexible hose, masks	SRM10615	R59610
D	Dräger X-plore Helmet with Visor	SRM07925	R58325
E	Dräger X-plore 6300 RA	SRM03858	R55800
	Dräger X-plore 6530 RA Triplex	SRM03591	R55810
	Dräger X-plore 8000 Standard Hood, Short (L/XL)	SRM10612	R59810
	Dräger X-plore 8000 Standard Hood, Long (L/XL)	SRM10613	R59830
F	Dräger X-plore 8000 Filter A1B1E1K1 Hg P R SL	SRM10632	6739555

A



D-11800-2016

B



D-758-2016

C



D-755-2016

D



D-11292-2010

E



ST-7497-2005

F



D-609-2014

Dräger X-plore® 8700 PAPR Unit (Ex)*

- Description:**
- ATEX-approved
 - Two-step alarm concept with differentiation of risk level
 - Service life between four and 24 hours
 - Protection class IP65 (dust-tight and resistant to water jets from all sides)
 - Automatic filter recognition
 - Automatic hose identification

Note: For use, please order the corresponding hood, helmet or mask with folding hose depending on the required protection class and the accessories, such as battery, charger, comfort strap and filter, separately.

Rental No.: SRM11959

Order No.: R59550

*Please contact the Dräger Rental Service for information about availability.



D-5586-2017

Equipment

	Description	Rental No.	Order No.
A	Dräger X-plore 8000 Welding visor with ADF	SRM11542	R59940
B	Dräger X-plore 8000 High-capacity battery	SRM10609	R59585
	Dräger X-plore 8000 Standard charger	SRM10610	R59580
C	Dräger X-plore 8000 Standard belt	SRM10611	R59700
D	Dräger X-plore 8000 Flexible hose, helmets	SRM10519	R59650
	Dräger X-plore 8000 Flexible hose, hoods	SRM10614	R59600
	Dräger X-plore 8000 Flexible hose, masks	SRM10615	R59610
E	Dräger X-plore Helmet with Visor	SRM07925	R58325
	Dräger X-plore 8000 Standard Hood, Short (L/XL)	SRM10612	R59810
	Dräger X-plore 8000 Standard Hood, Long (L/XL)	SRM10613	R59830
F	Dräger X-plore 6300 RA	SRM03858	R55800
	Dräger X-plore 6530 RA Triplex	SRM03591	R55810
	Dräger X-plore 8000 Filter A1B1E1K1 Hg P R SL	SRM10632	6739555



D-11800-2016



D-118006-2013



D-119049-2013



D-755-2016



D-11292-2010



ST-7497-2005

Purifying Respirators – Head Pieces

Dräger X-plore® 8000 Standard Hood, Short (L/XL)

Description: – For use with powered air-purifying respirators
– Short hood without additional mechanical head and eye protection

Rental No.: SRM10612

Order No.: R59810



D-397-2017

Dräger X-plore® 8000 Standard Hood, Long (L/XL)

Description: – For use with powered air-purifying respirators
– Long hood without additional mechanical head and eye protection

Rental No.: SRM10613

Order No.: R59830



D-398-2017

Dräger X-plore® Helmet with Visor

Description: – Work safety helmet with fold-up polycarbonate visor
– Protective headwear acc. EN 397

Rental No.: SRM07925

Order No.: R58325



D-11292-2010

Dräger X-plore® 8000 Welding Visor

Description:

- Protective welding visor with built-in safety glass
- Automatic protective welding filter protects eyes from light and flashover

Rental No.: SRM10812

Order No.: R59920



Powered Air-Purifying Respirators Accessories

D-754-2016



Folding hose for X-plore Helmet R58325

Folding hose for use with X-plore work safety helmet

Rental No.:	SRM07888
Order No.:	R58326

D-759-2016



Dräger X-plore 8000 Standard charger

Charging system recharges empty battery in approx. three hours

Up to 80% recharged after two hours of charging

Rental No.:	SRM10610
Order No.:	R59580

D-753-2016



Dräger X-plore 8000 High-capacity battery

Lithium ion battery

Rental No.:	SRM10609
Order No.:	R59585

D-758-2016



Dräger X-plore 8000 Standard belt

Three strap options available

- Standard belt
- Decontamination belt
- Welding belt

Rental No.:	SRM10611
Order No.:	R59700

D-755-2016



Dräger X-plore 8000 Flexible hose, helmets

Breathing hose contoured to headpiece

Rental No.:	SRM10519
Order No.:	R59650

D-756-2016



Dräger X-plore 8000 Flexible hose, hoods

Breathing hose contoured to headpiece

Rental No.:	SRM10614
Order No.:	R59600

D-757-2016



Dräger X-plore 8000 Flexible hose, masks

Breathing hose contoured to headpiece

Rental No.:	SRM10615
Order No.:	R59610

D-609-2014



Dräger X-plore 8000 Filter A1B1E1K1 Hg P R SL

Various filter types for all essential areas of application

Protection against a wide range of gases and fumes

Rental No.:	SRM10632
Order No.:	6739555

Filtering Escape Devices

Dräger PARAT® 3100

- Description:
- Industrial escape device for protection against industrial gases such as sulphur dioxide, hydrogen chloride and ammonia
 - Half mask with two-point harness
 - ABEK15 filter
 - Service life: 15 min

Rental No.: SRM03706

Order No.: R57981



ST-1847-2005

Dräger PARAT® 3200

- Description:
- Industrial escape device for protection against industrial gases such as sulphur dioxide, hydrogen chloride and ammonia
 - Half mask with mouthpiece and nose clip
 - ABEK15 filter
 - Service life: 15 min

Rental No.: SRM04481

Order No.: R57982



ST-1882-2005

Dräger PARAT® 4730 Hard Case

- Description:
- Plastic-encased industrial escape hood for protection against industrial gases, fumes and particles
 - ABEK-P3 filter
 - Service life: 15 min
 - DIN 58647-7

Rental No.: SRM10089

Order No.: R59431



D-92783-2013

Dräger PARAT® 5520 Soft Pack

- Description:
- Soft-packed fire escape hood for protection against combustion gases, fumes and particles
 - Also suitable for protection against H₂S up to 2,500 ppm
 - CO P2 Filter
 - Service life: 15 min
 - EN 403:2004

Rental No.: SRM10205

Order No.: R59425



D-92771-2013

Dräger PARAT® 5530 Hard Case

- Description:
- Plastic-encased fire escape hood for protection against combustion gases, fumes and particles
 - Also suitable for protection against H₂S up to 2,500 ppm
 - CO P2 Filter
 - Service life: 15 min
 - EN 403:2004

Rental No.: SRM10084

Order No.: R59435



D-92788-2013

Dräger PARAT® 7520 Soft Pack

- Description:
- Soft-packed combined fire and industrial escape hood for protection against toxic gases, fumes and particles
 - ABEK CO P3 filter
 - Service life: 15 min
 - EN 403:2004 and DIN 58647-7

Rental No.: SRM10206

Order No.: R59427



D-92763-2013

Dräger PARAT® 7530 Hard Case

- Description:
- Plastic-encased combined fire and industrial escape hood for protection against gases, fumes and particles
 - ABEK CO P3 filter
 - Service life: 15 min
 - EN 403:2004 and DIN 58647-7

Rental No.: SRM10090

Order No.: R59437



Escape Devices – Compressed Air

Dräger Saver CF 15

- Description:
- Suitable for evacuating zone 0 areas
 - Hood with constant flow valve and ozone-resistant neck collar
 - Standard G 5/8 filling connection on the valve, fillable without tools or adapters
 - Warning whistle and fill-level indicator
 - With 3 L/200 bar steel cylinder for service life of 15 min
 - EN 1146:2005, ISO 23269-1:2008 with CE marking, IMO- and SOLAS-approved and MED-certified

Rental No.: SRM03921

Order No.: R45002



ST 2577-2004

Escape Devices – Oxygen

Dräger Oxy K 30 S

- Description:
- Closed-circuit escape device with service life of up to 30 min
 - Mouthpiece, nose clip and gas-protective eyewear
 - Shoulder strap
 - Usable for 10 years without maintenance
 - EN 13794

Rental No.: SRM03890

Order No.: 6303000



ST-2567-2004

Dräger Oxy K 50 S

- Description:
- Closed-circuit escape device with service life of up to 50 min
 - Mouthpiece, nose clip and gas-protective eyewear
 - Shoulder strap
 - Usable for 10 years without maintenance
 - EN 13794

Rental No.: SRM04080

Order No.: 6303500



ST-3475-2003

Dräger Oxy 6000

- Description:
- Closed-circuit escape device with service life of up to 60 min
 - Mouthpiece, nose clip and gas-protective eyewear
 - Shoulder strap
 - Usable for 10 years without maintenance
 - EN 13794

Rental No.: SRM06962

Order No.: 6306100



D-28554-2009

Compressed Air and Closed-Circuit Breathing Apparatus

Dräger PAS Standard

Description:

- Protects the user when working in contaminated, gaseous and oxygen-depleted atmospheres
- Backpack design
- With manometer and injector-free warning whistle

Note: For use, please order full-face mask, lung demand valve and compressed air cylinder separately.

Rental No.: SRM03581

Order No.: 3350592



ST-387-2000

Dräger PAS Colt® for 3 L (without LDV)

Description:

- Hip-pack design
- Built-in cylinder sleeve and medium-pressure hose for connecting to all Dräger PSS lung demand valves
- Suitable for use in zone 0
- Acc. EN 137-1:2006

Note: For use, please order full-face mask, lung demand valve and compressed air cylinder separately.

Rental No.: SRM03915

Order No.: 3352920



ST-3557-2003

Dräger PAS Micro® (without LDV)

Description:

- Backpack design
- Built-in cylinder sleeve and medium-pressure hose for connecting to all Dräger PSS lung demand valves
- Suitable for use in zone 0
- Acc. EN 137-1:2006

Note: For use, please order full-face mask, lung demand valve and compressed air cylinder separately.

Rental No.: SRM04021

Order No.: 3352640



ST-3559-2003

Dräger PSS® 3000 Comfort

- Description:
- Backpack design
 - Ultralight, ergonomically designed carry frame with built-in hoses
 - Waistbelt
 - With manometer and injector-free warning whistle
 - EN 137:2006 Type 2

Note: For use, please order full-face mask, lung demand valve and compressed air cylinder separately.

Rental No.: SRM06591

Order No.: 3357794



D-2246-2010

Dräger PSS® 5000 DP BG 7000

- Description:
- Ergonomic carrying system
 - Twistable waistbelt
 - Durable, supportive harness
 - Quick fasteners on shoulder and waist straps
 - Made from top-quality materials, capable of withstanding harsh conditions

Note: For use, please order full-face mask, lung demand valve and compressed air cylinder separately.

Rental No.: SRM10153

Order No.: 3358356



D-19007-2010

Dräger PSS® BG4 EPR

- Description:
- Circulation device with a service life of up to four hours
 - Overpressure
 - G3/4" threaded connector
 - Regeneration cooler and CO₂ absorber
 - 2 L/200 bar oxygen cylinder

Note: For use, please order full-face mask separately.

Rental No.: SRM08547

Order No.: R34638



ST-584-2003

Dräger PSS® BG4 FEPRK

Description:	– Circulation device with a service life of up to four hours
	– Overpressure
	– M24×2 threaded connection
	– Regeneration cooler and CO ₂ absorber
	– Respiratory connection with condensation tank
	– 2 L/200 bar oxygen cylinder

Note:	For use, please order full-face mask separately.
-------	--

Rental No.:	SRM06233
-------------	----------

Order No.:	R34695
------------	--------



ST-584-2/003

Compressed Air and Closed-Circuit Breathing Apparatus Accessories



Dräger PAS ASV Quick Fit BA KIT

Quick-assembly unit for use with compressed air breathing apparatuses PSS 90, PSS 100, PSS 3000, PAS Standard, PAS Marine and PAS Lite

Rental No.: SRM05454

Order No.: 3354244

D-14276-2014



Dräger PAS ASV Micro KIT (for PAS Micro)

Durable, built-in switch-over valve for use with the Dräger PAS Micro

Rental No.: SRM05681

Order No.: 3354141

D-14275-2014



Dräger Regeneration Cooler PSS BG4 plus

Regeneration cooler can be used instead of the conventional breathing air cooler in all Dräger BG4 and PSS BG 4 regeneration devices in the 'P' series.

Rental No.: SRM06439

Order No.: R34720

D-23562-2009



Dräger T Piece (for 2 x 6.8 L 300 bar cylinders)

Cylinder connector for DrägerMan PSS 90, PSS 100 and PAS Standard

Two high-pressure connectors for attaching 6.0 L or 6.8 L CFC cylinders

Rental No.: SRM04464

Order No.: 3337660

ST-189-2000

Lung Demand Valves – Normal and Positive Pressure

DrägerMan PSS®-N- Lung Demand Valve

- Description:
- Normal pressure, round-threaded connector (Rd40)
 - Casing made from impact-resistant plastic
 - Approved for use with all Dräger PSS®, PAS Standard, PAS Colt and PAS Micro compressed air breathing apparatuses

Rental No.: SRM03918

Order No.: 3350501



ST-150-2000

DrägerMan PSS®-A- Lung Demand Valve

- Description:
- Positive pressure connector plug
 - Casing made from impact-resistant plastic
 - Approved for use with all Dräger PSS®, PAS Standard, PAS Colt and PAS Micro compressed air breathing apparatuses

Rental No.: SRM03580

Order No.: 3338700



D-12937-2010

DrägerMan PSS®-A- Lung Demand Valve, Long Hose

- Description:
- Positive pressure connector plug
 - Hose length: 1.5 m
 - Casing made from impact-resistant plastic
 - Approved for use with all Dräger PSS®, PAS Standard, PAS Colt and PAS Micro compressed air breathing apparatuses

Rental No.: SRM06175

Order No.: 3338701



ST-2600-2004

DrägerMan PSS®-A- Lung Demand Valve H₂S

- Description:
- Positive pressure connector plug
 - With polymer membrane
 - Casing made from impact-resistant plastic
 - Approved for use with all Dräger PSS®, PAS Standard, PAS Colt and PAS Micro compressed air breathing apparatuses

Rental No.: SRM06478

Order No.: 3338967



D-402-2017

DrägerMan PSS®-AE- Lung Demand Valve

- Description:
- M45×3 positive pressure screw connection
 - Casing made from impact-resistant plastic
 - Approved for use with all Dräger PSS®, PAS Standard, PAS Colt and PAS Micro compressed air breathing apparatuses

Rental No.: SRM03675

Order No.: 3338706



ST-151-2000

DrägerMan PSS®-ESA- Lung Demand Valve

- Description:
- DIN 58600 standard positive pressure connection
 - Casing made from impact-resistant plastic
 - Includes lung demand valve holder
 - Approved for use with all Dräger PSS®, PAS Standard, PAS Colt and PAS Micro compressed air breathing apparatuses

Rental No.: SRM03919

Order No.: 3351302



ST-361-2001

Compressed Air Hose Units

Dräger PAS® AirPack 1 (1-2 Users)



- Description:**
- Mobile breathing air source for connecting 1-2 compressed air hose device users
 - Hose drum and 50m compressed air supply hose
 - Connects with up to four compressed air cylinders with a capacity of up to 12 L
 - EN 14593-1
 - Zone 1

Note: For use, please order harness and full-face mask separately. A distributor piece (Y-piece) and additional connection hoses are required to use the Dräger AirPack 1 as a two-person unit.

Rental No.: SRM03914

Order No.: 3352228

Equipment

	Description	Rental No.	Order No.	
A	Compressed Air Cylinder 6.8 L/300 bar/CFC	SRM03782	3353733	★
B	Dräger PAS X-plore with Belt	SRM11239	3363584	★
C	DrägerMan PSS-A Lung Demand Valve	SRM03580	3338700	★
D	Dräger Panorama Nova P Triplex	SRM06079	R52992	
E	Dräger Distributor piece (Y-piece)	SRM03586	R27945	



Dräger PAS® AirPack 2 (2 Users)

- Description:**
- Mobile breathing air source for connecting 1-4 compressed air hose device users
 - Hose drum and 50 m compressed air supply hose
 - Connects with up to two compressed air cylinders with a capacity of up to 50 L
 - With jack ring for loading onto a jack or lift truck
 - EN 14593-1
 - Zone 1

Note: For use, please order harness and full-face mask separately. A distributor piece (Y-piece) and additional connection hoses are required to use the Dräger AirPack 2 as a two-person unit.

Rental No.: SRM03677

Order No.: 3352995



D-399-2017

Equipment

	Description	Rental No.	Order No.	
A	Dräger 50 L/335 bar/steel Compressed Air Cylinder	SRM03674	–	★
B	Dräger PAS X-plore with Belt	SRM11239	3363584	★
C	DrägerMan PSS-A Lung Demand Valve	SRM03580	3338700	★
D	Dräger Panorama Nova P Triplex	SRM06079	R52992	
E	Dräger Distributor piece (Y-piece)	SRM03586	R27945	

A




STL-15210-2008

B



D-399-2017

C



ST-149-2000

D



D-13625-2010

E



ST-2602-2004

Dräger PAS® AirPack 2 (4 Users)



ST-529-2006

- Description:**
- Mobile breathing air source for connecting 1-4 compressed air hose device users
 - Hose drum and 50 m compressed air supply hose
 - Connects with up to two compressed air cylinders with a capacity of up to 50 L
 - With jack ring for loading onto a jack or lift truck
 - EN 14593-1
 - Zone 1

Note: For use, please order harness and full-face mask separately. A distributor piece (Y-piece) and additional connection hoses are required to use the Dräger AirPack 2 as a three- or four-person unit.

Rental No.: SRM03678

Order No.: 3352236

Equipment

	Description	Rental No.	Order No.	
A	Dräger 50 L/335 bar/steel Compressed Air Cylinder	SRM03674	–	★
B	Dräger PAS X-plore with Belt	SRM11239	3363584	★
C	DrägerMan PSS-A Lung Demand Valve	SRM03580	3338700	★
D	Dräger Panorama Nova P Triplex	SRM06079	R52992	
E	Dräger Distributor piece (Y-piece)	SRM03586	R27945	



Dräger MAV 5000

Air Hose Equipment Trailer

- Description:**
- For closed-circuit air supply of up to two hose device users via two integrated 50 L/300 bar compressed air cylinders
 - Device users connect via central hose reel
 - Supply panel with pressure reducer (inlet- and outlet-pressure manometers, safety valve, warning signal when supply pressure reaches > 50 bar)
 - Overall dimensions L × W × H:
3,790 mm × 1,800 mm × 1,490 mm

Rental No.: SRM09316



D-598-2014

Equipment

	Description	Rental No.	Order No.	
	Dräger PSS 3000 Comfort	SRM06591	3357794	★
A	Compressed Air Cylinder 6.8 L/300 bar/CFC	SRM03782	3353733	★
	DrägerMan PSS-A Lung Demand Valve	SRM03580	3338700	★
	Dräger Panorama Nova P Triplex	SRM06079	R52992	
	Dräger Distributor piece (Y-piece)	SRM03586	R27945	
	Dräger Compressed Air Hose, 5 m	SRM03584	AL01260	
	Dräger Compressed Air Hose, 10 m	SRM03585	AL01261	
	Dräger Compressed Air Hose, 20 m	SRM03691	AL01262	★
B	Dräger PAS X-plore with Belt	SRM11239	3363584	
C	Tripod (MAS)	SRM05054	–	
	Safety winch, 25 m (Bornack)	SRM03755	–	
	Rebel fall arrest device, 20 m (Capital Safety)	SRM10631	–	
	Harness 30 (MAS)	SRM03846	–	
	Basket stretcher (MAS)	SRM04669	–	
	First Aid Kit, for 5 injured, DIN 13157	SRM04017	–	
	Maxi transport box (ALU) 900 × 500 × 370	SRM08543	–	



D-14243-2014



D-395-2017



D-14241-2014

Air Caddy, for Aircylinders 2 × 50 L

- Description:
- Mobile breathing air apparatus
 - For transporting loaded steel-cylinder carts (2 × 50 L cylinders)
 - With double safety chain
 - Moveable support braces
 - Hose holder on the struts
 - Solid rubber tyres

Rental No.: See Ordering Information

Order No.: See Ordering Information



STL-15208-2008

Ordering Information	Description	Rental No.
Air Caddy, for Aircylinders 2 × 50 L	with crane hook	SRM03917
Air Caddy, for Aircylinders 2 × 50 L	without crane hook	SRM03916
Air Caddy, for Aircylinders 2 × 50 L	with stabilization and crane hook	SRM06924

Equipment

	Description	Rental No.	Order No.
A	Dräger 50 L/335 bar/steel Compressed Air Cylinder	SRM03674	– ★
B	Dräger PAS Pressure reducer	SRM05848	3357357 ★
C	Dräger Distributor piece (Y-piece)	SRM03586	R27945
D	Dräger Compressed Air Hose, 5 m	SRM03584	AL01260
	Dräger Compressed Air Hose, 10 m	SRM03585	AL01261
	Dräger Compressed Air Hose, 20 m	SRM03691	AL01262 ★
	Dräger Compressed Air Hose, 30 m	SRM06181	–
	Dräger Compressed Air Hose, 45 m	SRM03702	AL01263
	Dräger Compressed Air Hose, 50 m	SRM10552	3352468



STL-15210-2008



D-348-2017



ST-2602-2004



D-14248-2014

Compressed Air Hose Unit Accessories


D-399-2017



Dräger PAS X-plore with Belt

Rental No.:	SRM11239
Order No.:	3363584

D-14277-2014



Dräger PAS Colt Airline Harness

Lightweight harness for use with Dräger PAS Airpack 1 or 2

Medium-pressure quick coupling for lung demand valve

With warning signal

Rental No.:	SRM04026
Order No.:	3352948

ST-606-2008



Dräger ABIL-L-1 Airline Belt Manifold

Durable harness

Suitable for use with half- or full-face masks

For connection to an air supply hose and lung demand valve

Rental No.:	SRM06176
Order No.:	AL01267

D-348-2017



Dräger PAS Pressure reducer

Accessories for the Dräger PAS AirPack 1 or 2

Rental No.:	SRM05848
Order No.:	3357357

D-14276-2014



Dräger PAS ASV Quick Fit BA KIT

Quick-assembly unit for use with compressed air breathing apparatuses PSS 90, PSS 100, PSS 3000, PAS Standard, PAS Marine and PAS Lite

Rental No.:	SRM05454
Order No.:	3354244

D-421-2017



Dräger PAS ASV Micro KIT (for PAS Micro)

Durable, built-in switch-over valve for use with the Dräger PAS Micro

Rental No.:	SRM05681
Order No.:	3354141

ST-2602-2004



Dräger Distributor piece (Y-piece)

Accessories for Dräger supply hoses

For splitting the supply across two compressed air supply hose users

Rental No.:	SRM03586
Order No.:	R27945

D-1000013-2011



Dräger AF 1400 Airline Equipment

System for ensuring breathing air quality acc. EN 12021

Rental No.:	SRM04001
Order No.:	AL01230

ST-3511-2003



Dräger X-plore 9000 Conditioner

Stationary filter unit for purifying industrial compressed air from compressors or compressed air ducts

Connection for 1-2 users

Rental No.: SRM05208

Order No.: 3353926

ST-982-2008



Dräger X-plore 9000

Harness set, incl. strap and silencer

Control for the breathing air flow volume

Rental No.: SRM05206

Order No.: R56660

D-12174-2010



Dräger General assembly hose drum

Accessory for use with Dräger AirPack 1

Rental No.: SRM05849

Order No.: 3352239

D-31561-2011



Dräger X-plore 9000 Standard hose 10 m with plugs

Compressed air supply hose

Rental No.: SRM05207

Order No.: 3353929

D-14248-2014



Dräger Compressed Air Hose

Compressed air supply hose for the Dräger PAS Lite, PAS Colt, PAS Micro and ABIL-R

Ordering Information	Rental No.	Order No.
Dräger Compressed Air Hose, 5 m	SRM03584	AL01260
Dräger Compressed Air Hose, 10 m	SRM03585	AL01261
Dräger Compressed Air Hose, 20 m	SRM03691	AL01262 ★
Dräger Compressed Air Hose, 30 m	SRM06181	–
Dräger Compressed Air Hose, 45 m	SRM03702	AL01263
Dräger Compressed Air Hose, 50 m	SRM10552	3352468

Breathing Air Compressors

Dräger PAS® MAC 4000

- Description:**
- Mobile breathing air compressor for up to four users
 - Suitable for industrial use (for example, in petrochemicals, power stations or tank cleaning)
 - Diesel motor
 - 710 L/min at 9 bar
 - For open-air use
 - Breathing air acc. EN 12021

Note: For use, please order harness, full-face mask, compressed air hoses and distributor piece separately.

Rental No.: SRM06971



D-9763-2010

Equipment

	Description	Rental No.	Order No.
A	Dräger 9 L/300 bar/CFC Compressed Air Cylinder	SRM05730	3353734
B	Dräger PAS X-plore with Belt	SRM11239	3363584
C	DrägerMan PSS-A Lung Demand Valve	SRM03580	3338700 ★
D	Dräger Panorama Nova P Triplex	SRM06079	R52992
E	Dräger Compressed Air Hose, 20 m	SRM03691	AL01262 ★



D-14244-2014



D-399-2017



D-12122-2016



D-13629-2010



D-14250-2014

Dräger PAS MAC 8000/8500

- Description:**
- Mobile breathing air compressor for up to eight users
 - Suitable for industrial use (for example, in petrochemicals, power stations or tank cleaning)
 - Diesel motor
 - 1,710 L/min at 9 bar
 - For open-air use
 - Breathing air acc. EN 12021

Note: For use, please order harness, full-face mask, compressed air hoses and distributor piece separately.

Rental No.: SRM06972



D-401-2017

Equipment

	Description	Rental No.	Order No.
A	Compressed Air Cylinder 6.8 L/300 bar/CFC	SRM03782	3353733
B	Dräger PAS X-plore with Belt	SRM11239	3363584
C	DrägerMan PSS-A Lung Demand Valve	SRM03580	3338700 ★
D	Dräger Panorama Nova P Triplex	SRM06079	R52992
E	Dräger Compressed Air Hose, 20 m	SRM03691	AL01262 ★



D-14243-2014



D-399-2017



D-12122-2016



D-13629-2010



D-14250-2014

Bauer PE300-HE-F01

- Description:
- For filling breathing air cylinders of compressed air breathing apparatuses and escape devices
 - 7.5 kW three-phase current motor
 - Supply volume: 300 L/min
 - Number of filling connections: 3 × 300 bar/3 × 200 bar

Note: The filter cartridge is included as standard.

Rental No.: SRM11562

Order No.: 6533059



ST-1072-2008

Equipment

Description	Rental No.	Order No.
Dräger Filling hose 300 bar, 3 m	SRM04550	6531347
Dräger Filling hose 300 bar, 6 m	SRM10103	–
Dräger Filling hose 300 bar, 10 m	SRM10104	6533749
Filling panel, 6 × 300 bar	SRM10105	–

Dräger CAS 4000 Charge Air Station

- Description:
- Supply-independent breathing air filling station for compressed air breathing apparatus cylinders, for filling directly during use, on location
 - Constant breathing air supply via Quick Fill connections
 - Allows significantly longer service times
 - Fill level of the breathing air supply is visible at all times
 - System maintenance once every five years

Rental No.: SRM08030

Order No.: 6534814



D-418-2017

Breathing Air Compressor Accessories

D-14239-2014




3/4" Distribution hose 15 m

Rental No.: SRM08506

Order No.: 3358797

D-14282-2014



4 Man Distribution panel – alarmed

Rental No.: SRM08507

Order No.: 3358799

D-11163-2011



Dräger Aerotest 5000

For determining the breathing air quality in low pressure systems (2.5 to 10 bar) acc. EN 12021

Use with Dräger tubes or oil impactor

Rental No.: SRM08115

Order No.: 6401220

ST-7001-2008



Dräger HP Aerotest Simultan

For determining the quality of breathing air in high pressure systems

Use with Dräger tubes or oil impactor

Rental No.: SRM05744

Order No.: 6525937

Compressed Air Cylinders

Dräger 3 L/300 bar/CFC Compressed Air Cylinder

Description:

- Nominal positive pressure: 300 bar
- 300 bar, G 5/8" valve
- Delivery: filled

Rental No.: SRM03920

Order No.: 3353811



D-14242-2014

Dräger 6 L/300 bar/steel Compressed Air Cylinder

Description:

- Nominal positive pressure: 300 bar
- 300 bar, G 5/8" or M25×2 valve
- Delivery: filled

Rental No.: SRM03781

Order No.: 3355002



D-14247-2014

Compressed Air Cylinder 6.8 L/300 bar/CFC

Description:

- Nominal positive pressure: 300 bar
- 300 bar, G 5/8" valve
- Delivery: filled

Rental No.: SRM03782

Order No.: 3353733



D-14243-2014

Dräger 9 L/300 bar/CFC Compressed Air Cylinder

Description:

- Nominal positive pressure: 300 bar
- 300 bar, G 5/8" valve
- Delivery: filled

Rental No.: SRM05730

Order No.: 3353734



D-14244-2014

Dräger 50 L/335 bar/steel Compressed Air Cylinder

Description:

- Nominal positive pressure: 300 bar (portable) and 335 bar (stationary)
- 300 bar, G 5/8" valve
- Delivery: filled

Rental No.: SRM03674



STL-15210-2008

Dräger Breathing Air Cylinder Bundle (6 cylinders 50 L/300 bar)

Description:

- Stationary, connected system of compressed air cylinders
- Sectional ducts

Rental No.: SRM04391

Order No.: 6531471



D-3124-2011

Dräger Breathing Air Cylinder Bundle (12 cylinders 50 L/300 bar)

Description: – Stationary, connected system of compressed air cylinders
 – Sectional ducts

Rental No.: SRM04393



D-3124-2011

Dräger Cylinder Cover (Nomex) 6.8 L/300 bar

Description: – Accessories for CFC cylinders
 – Cylinder sleeves woven from blue, synthetic fibre

Rental No.: SRM06242

Order No.: 3310622



ST-1275-2008





GAS DETECTION TECHNOLOGY

Dräger gas detection technology is made for almost every application purpose – robust, precise and easy to operate. Area monitoring systems are particularly suitable for maintenance projects in which operating sites change frequently. Combined to form an alarm chain, they help monitor large scale areas. Worn close to the body, personal portable gas detectors are there at every turn and immediately warn your employees of toxic gases, explosion hazards and oxygen deficiency.

Portable Single-Gas Detection Devices

Dräger Pac® 7000

Single-gas detection and warning device with wide selection of sensors

Description:	– Single-gas detection with Dräger XXS sensor technology – Data logger
Note:	Use the Dräger testing and calibration stations as well as the necessary gases to conduct the required function tests before each use.
Rental No.:	See Ordering Information
Order No.:	See Ordering Information



ST-1758-2005

Ordering Information	Standard Measuring Range	A1/A2 Alarm Thresholds	Rental No.	Order No.
Dräger Pac® 7000 H ₂ S	0-200 ppm	at 10/20 ppm	SRM03825	8318674 ★
Dräger Pac® 7000 O ₂	0-25 % Vol.	at 19/23 % Vol.	SRM03827	8318675 ★
Dräger Pac® 7000 H ₂ S LC	0-100 ppm	customized	SRM04279	8321004 ★
Dräger Pac® 7000 CO	0-1,999 ppm	at 30/60 ppm	SRM03829	8318673 ★
Dräger Pac® 7000 CO ₂	0-5 % Vol.	customized	SRM04002	8318975
Dräger Pac® 7000 Cl ₂	0-20 ppm	customized	SRM04275	8318978
Dräger Pac® 7000 PH ₃	0-20 ppm	customized	SRM04277	8318974
Dräger Pac® 7000 OV	0-200 ppm	customized	SRM04280	8321006
Dräger Pac® 7000 OV-A	0-200 ppm	customized	SRM04281	8321007
Dräger Pac® 7000 SO ₂	0-100 ppm	customized	SRM04692	8318976
Dräger Pac® 7000 NH ₃	0-300 ppm	customized	SRM03898	8318979
Dräger Pac® 7000 HCN	0-50 ppm	customized	SRM03899	8318973

Equipment

	Description	Rental No.	Order No.
A	Dräger Bump Test Station for Dräger Pac®	SRM05741	8317410
B	Dräger Gasvision Software	SRM04084	8325646
C	Dräger Communication module for Dräger Pac®	SRM06741	8318587
D	Dräger Leather carrying case for Dräger Pac®	SRM06174	4543822



D-12276-2009



D-34525-2009



D-77452-2013



ST-14956-2008

Dräger Pac® 6500/8000/8500

- Description:**
- Reliable single-gas detection devices from the new Dräger Pac series
 - Durable design for even the harshest conditions
 - 360° alarm with wide range of functions
 - User-friendly display
 - Dräger Pac® 8500: equipped with Dräger dual sensor

Note: Use the Dräger testing and calibration stations as well as the necessary gases to conduct the required function tests before each use.

Rental No.: See Ordering Information

Order No.: See Ordering Information



D-4995-2017

Ordering Information	Standard Measuring Range	A1/A2 Alarm Thresholds	Rental No.	Order No.
Dräger Pac® 6500 CO	0-2,000 ppm	30/60 ppm	SRM11904	8326331
Dräger Pac® 6500 H ₂ S	0-100 ppm	5/10 ppm	SRM11905	8326330
Dräger Pac® 6500 O ₂	0-25 % Vol.	19/23 % Vol.	SRM11906	8326332
Dräger Pac® 6500 SO ₂	0-100 ppm	0.5/1.0 ppm	SRM11907	8326333
Dräger Pac® 8000 NO	0-50 ppm	25/50 ppm	SRM11908	8326350
Dräger Pac® 8000 CO ₂	0-5 % Vol.	0.5/1 % Vol.	SRM11909	8326351
Dräger Pac® 8000 Cl ₂	0-20 ppm	0.5/1 ppm	SRM11910	8326352
Dräger Pac® 8000 HCN	0-50 ppm	1.9/3.8 ppm	SRM11911	8326353
Dräger Pac® 8000 NH ₃	0-300 ppm	20/40 ppm	SRM11912	8326354
Dräger Pac® 8000 PH ₃	0-20 ppm	0.1/0.2 ppm	SRM11913	8326355
Dräger Pac® 8000 OV	0-200 ppm	10/20 ppm	SRM11914	8326356
Dräger Pac® 8000 OV-A	0-200 ppm	10/20 ppm	SRM11915	8326357
Dräger Pac® 8000 NO ₂	0-50 ppm	5/10 ppm	SRM11916	8326358
Dräger Pac® 8000 Ozone	0-10 ppm	0.1/0.2 ppm	SRM11917	8326359
Dräger Pac® 8000 Phosgene	0-10 ppm	0.1/0.2 ppm	SRM11918	8326360
Dräger Pac® 8500 H ₂ S/CO	0-100 ppm H ₂ S 0-2,000 ppm CO	5/10 ppm H ₂ S 30/60 ppm CO	SRM11919	8326365
Dräger Pac® 8500 O ₂ /CO	0-25 % Vol. O ₂ 0-2,000 ppm CO	19/23 % Vol. O ₂ 30/60 ppm CO	SRM11920	8326366
Dräger Pac® 8500 CO-H ₂ CP	0-2,000 ppm	30/60 ppm	SRM11921	8326367

Equipment

Description	Rental No.	Order No.
Dräger X-dock® 5300 Pac	SRM09205	8321881
Dräger Bump Test Station for Dräger Pac®	SRM05741	8317410
Dräger Communication module for Dräger Pac®	SRM06741	8318587

Dräger X-am® 5100

Special Tox single-gas detection device for detecting
HF, HCl, H₂O₂ or hydrazine

- Description:**
- Single-gas detection device with Dräger XS sensor technology
 - Detects hydrogen peroxide, hydrazine or hydrogen fluoride/hydrogen chloride
 - Alarm thresholds adjustable to various national standards
 - Event and data logger

Note: Battery included. For use, please also order the necessary accessories, such as DrägerSensors and charger.
Use the Dräger testing and calibration stations as well as the necessary gases to conduct the required function tests before each use.

Rental No.: SRM08433

Order No.: 8322750



D-31714-2011

Equipment

	Description	Rental No.	Order No.
	DrägerSensor XS EC H ₂ O ₂ – Measuring range 0-20 ppm	SRM04348	6809170
	DrägerSensor XS EC HF/HCL – Measuring range 0-30 ppm	SRM04354	6809140
	DrägerSensor XS EC Hydrazine – Measuring range 0-5 ppm	SRM04355	6809190
A	Battery charger 12 V/1.2 A (for 1 X-am 7000 or 2 X-am 2/5x00)	SRM06539	8315635
B	Dräger X-am 1/2/5x00 Charging module	SRM03693	8318639
C	Dräger 8 X-am 7000 or 20 X-am 2/5x00 Multi charger	SRM03856	8315805



ST-14332-2008



D-12284-2009



D-12287-2009

Portable Multi-Gas Detection Devices

Dräger X-am[®] 2500 Ex, O₂, CO, H₂S-LC

Durable one- to four-gas detection device with very short response time

- Description:**
- 1- to 4-gas detection device with Dräger XXS sensor technology
 - Equipped with catalytic Ex and three electrochemical sensors
 - Monitors flammable gases and fumes
 - Alarm thresholds adjustable to various national standards
 - Event and data logger

Note: Battery included. For use, please also order the necessary accessories, such as charger.
Use the Dräger testing and calibration stations as well as the necessary gases to conduct the required function tests before each use.

Rental No.: SRM09947

Order No.: 8323918



D-59024-2012

Equipment

	Description	Rental No.	Order No.
A	Battery charger 12 V/1.2 A (for 1 X-am 7000 or 2 X-am 2/5x00)	SRM06539	8315635
	Dräger X-am 1/2/5x00 Charging module	SRM03693	8318639
	Dräger 8 X-am 7000 or 20 X-am 2/5x00 Multi charger	SRM03856	8315805
B	Dräger Bump Test Station X-am 1/2/5x00	SRM04085	8319131
C	Dräger X-am Pump incl. USB charger	SRM11712	8327115
	Dräger Calibration cradle for X-am 1/2/5x00	SRM05752	8318752
	Dräger Leather carrying case for X-am 1/2/5x00	SRM06779	8318755



Dräger X-am® 5000

Lightweight, versatile one- to five-gas detection device for all explosive gases



ST-1639-2007

- Description:**
- 1- to 5-gas detection device with Dräger XXS sensor technology
 - Equipped with catalytic Ex and three electrochemical sensors, replaceable
 - Simultaneous detection of five gases only possible with CO/H₂S double sensor
 - Monitors oxygen, flammable gases and fumes
 - Alarm thresholds adjustable to various national standards
 - Event and data logger

Note: Battery included. For use, please also order the necessary accessories, such as DrägerSensors and charger. Use the Dräger testing and calibration stations as well as the necessary gases to conduct the required function tests before each use.

Rental No.: SRM04207

Order No.: 8320000

Equipment

	Description	Rental No.	Order No.
A	Battery charger 12 V/1.2 A (for 1 X-am 7000 or 2 X-am 2/5x00)	SRM06539	8315635
B	Dräger X-am 1/2/5x00 Charging module	SRM03693	8318639
	Dräger 8 X-am 7000 or 20 X-am 2/5x00 Multi charger	SRM03856	8315805
C	Dräger Bump Test Station X-am 1/2/5x00	SRM04085	8319131
D	Dräger X-am Pump incl. USB charger	SRM11712	8327115
	Dräger Calibration cradle for X-am 1/2/5x00	SRM05752	8318752
E	Dräger CSE carry case set for Dräger X-am 1/2/5x00 without pump	SRM04214	8319399
F	Dräger Leather carrying case for X-am 1/2/5x00	SRM06779	8318755



ST-14332-2008



D-12284-2009



ST-14369-2008



D-11858-2016



ST-13271-2007



ST-15011-2008

A Description*	Rental No.	Order No.
DrägerSensor CatEx 125 PR	SRM04311	6812950
DrägerSensor XXS O ₂	SRM04313	6810881
DrägerSensor XXS CO	SRM04371	6810882
DrägerSensor XXS H ₂ S	SRM04312	6810883
DrägerSensor XXS H ₂ S LC	SRM04323	6811525
DrägerSensor XXS CO ₂	SRM04319	6810889
DrägerSensor XXS CO/H ₂ S	SRM04324	6811410
DrägerSensor XXS O ₃	SRM07230	6811540
DrägerSensor XXS NO ₂	SRM04314	6810884
DrägerSensor XXS SO ₂	SRM04315	6810885
DrägerSensor XXS PH ₃	SRM04316	6810886
DrägerSensor XXS HCN	SRM04317	6810887
DrägerSensor XXS NH ₃	SRM04318	6810888
DrägerSensor XXS Cl ₂	SRM04320	6810890
DrägerSensor XXS OV	SRM04321	6811530
DrägerSensor XXS OV-A	SRM04322	6811535
DrägerSensor XXS CO H ₂ -CP	SRM04325	6811950
DrägerSensor XS EC COCl ₂	SRM04337	6808582
DrägerSensor XXS H ₂ S HC	SRM10034	6812015
DrägerSensor XXS NO	SRM06442	6811545
DrägerSensor XXS Odorant	SRM06658	6812535
DrägerSensor XXS H ₂	SRM06583	6812370
DrägerSensor XXS COCl ₂	SRM08434	6812005
DrägerSensor XXS H ₂ HC	SRM06499	6812025
DrägerSensor XXS NO ₂ LC	SRM08213	6812600

*Further DrägerSensors on request.



D-12192-2010

Dräger X-am® 5600

Extremely compact one- to six-gas detection device with durable infrared sensor technology



- Description:**
- 1- to 6-gas detection device with Dräger XXS sensor technology
 - Equipped with infrared, Ex and three electrochemical sensors, replaceable
 - Simultaneous detection of six gases only possible with CO/H₂S double sensor
 - Monitors oxygen, flammable gases and fumes
 - Alarm thresholds adjustable to various national standards
 - Event and data logger

Note: Battery included. For use, please also order the necessary accessories, such as DrägerSensors and charger. Use the Dräger testing and calibration stations as well as the necessary gases to conduct the required function tests before each use.

Rental No.: SRM06492

Order No.: 8321050



D-23637-2009

Equipment

	Description	Rental No.	Order No.
A	Battery charger 12 V/1.2 A (for 1 X-am 7000 or 2 X-am 2/5x00)	SRM06539	8315635
B	Dräger X-am 1/2/5x00 Charging module	SRM03693	8318639
	Dräger 8 X-am 7000 or 20 X-am 2/5x00 Multi charger	SRM03856	8315805
C	Dräger Bump Test Station X-am 1/2/5x00	SRM04085	8319131
D	Dräger X-am Pump incl. USB charger	SRM11712	8327115
	Dräger Calibration cradle for X-am 1/2/5x00	SRM05752	8318752
E	Dräger CSE carry case set for Dräger X-am 1/2/5x00 without pump	SRM04214	8319399
F	Dräger Leather carrying case for X-am 1/2/5x00	SRM06779	8318755

A

ST-14332-2008



B

D-12284-2009



C

ST-14369-2008



D

D-11858-2016



E

ST-13271-2007



F

ST-15011-2008



	Description*	Rental No.	Order No.
A	DrägerSensor XXS IR Ex	SRM08044	6812180
B	DrägerSensor Dual IR Ex/CO ₂	SRM06493	6811960
	DrägerSensor CatEx 125 PR	SRM04311	6812950
C	DrägerSensor XXS O ₂	SRM04313	6810881
	DrägerSensor XXS CO	SRM04371	6810882
	DrägerSensor XXS H ₂ S	SRM04312	6810883
	DrägerSensor XXS H ₂ S LC	SRM04323	6811525
	DrägerSensor XXS CO ₂	SRM04319	6810889
	DrägerSensor XXS CO/H ₂ S	SRM04324	6811410
D	DrägerSensor XXS NO ₂	SRM04314	6810884
E	DrägerSensor XXS SO ₂	SRM04315	6810885
	DrägerSensor XXS PH ₃	SRM04316	6810886
	DrägerSensor XXS HCN	SRM04317	6810887
	DrägerSensor XXS NH ₃	SRM04318	6810888
F	DrägerSensor XXS Cl ₂	SRM04320	6810890
G	DrägerSensor XXS OV	SRM04321	6811530
	DrägerSensor XXS OV-A	SRM04322	6811535
	DrägerSensor XXS CO H ₂ -CP	SRM04325	6811950
	DrägerSensor XXS O ₃	SRM07230	6811540
H	DrägerSensor XXS H ₂ S HC	SRM10034	6812015
	DrägerSensor XXS H ₂	SRM06583	6812370
	DrägerSensor XXS H ₂ HC	SRM06499	6812025
I	DrägerSensor XXS NO	SRM06442	6811545

*Further DrägerSensors on request.



Dräger X-am® 7000

Multifunctional one- to five-gas detection device with optional built-in high-power pump



ST-6-6-2008

- Description:**
- 1- to 5-gas detection device with Dräger XS sensor technology
 - Equipped with two infrared, catalytic or PID sensors and three electrochemical sensors, replaceable
 - Includes calibration adapter and carry frame with shoulder strap
 - Optional built-in pump and data storage

Note: Battery included. For use, please also order the necessary accessories, such as DrägerSensors and charger. Use the Dräger testing and calibration stations as well as the necessary gases to conduct the required function tests before each use.

Rental No.: SRM03700

Order No.: 8317400

Equipment


	Description	Rental No.	Order No.
	Battery charger 12 V/1.2 A (for 1 X-am 7000 or 2 X-am 2/5x00)	SRM06539	8315635
	Dräger X-am 7000 Charging module	SRM03699	8316487
	Dräger 8 X-am 7000 or 20 X-am 2/5x00 Multi charger	SRM03856	8315805
A	Dräger Bump Test Station X-am 7000	SRM04691	8318909
	Dräger X-am 7000 Pump	SRM03937	8317406
	Dräger X-am 7000 Pump adapter incl. water and dust filter	SRM06052	8317639
B	Dräger Plug-in telescopic probe	SRM10221	6801954
	Dräger Telescopic probe 100, with accessories	SRM06278	8316530
	Dräger Float probe (without hose)	SRM03959	6802337
C	Dräger Float probe (including 10 m hose)	SRM03960	6807097
	Dräger Float probe (with 5 m Viton hose, H ₂ S)	SRM06282	8318371
	Dräger Viton hose, bulk	SRM06846	1203150
	Dräger X-am 7000 Nylon carry case	SRM03945	8317684

A



ST-15016-2008

B



ST-14959-2008

C



D-10391-2009

A Description*	Rental No.	Order No.
DrägerSensor Smart IR Ex	SRM04301	6810460
DrägerSensor Smart IR CO ₂	SRM04302	6810590
DrägerSensor Smart IR CO ₂ HC	SRM04303	6810599
DrägerSensor Smart CatEx	SRM04308	6810710
DrägerSensor Smart CatEx HC	SRM04309	6810410
DrägerSensor Smart CatEx PR	SRM09356	6812980
DrägerSensor XS R CO	SRM04326	6810258
DrägerSensor XS R H ₂ S	SRM04327	6810260
DrägerSensor XS R O ₂ LS	SRM04328	6810262
DrägerSensor XS EC CO	SRM04329	6809105
DrägerSensor XS EC H ₂ S HC	SRM04331	6809180
DrägerSensor XS O ₂ 100	SRM04333	6809550
DrägerSensor XS EC NO	SRM04334	6809125
DrägerSensor XS EC SO ₂	SRM04335	6809160
DrägerSensor XS EC NO ₂	SRM04336	6809155
DrägerSensor XS EC COCl ₂	SRM04337	6808582
DrägerSensor XS EC NH ₃	SRM04338	6809145
DrägerSensor XS EC HCN	SRM04339	6809150
DrägerSensor XS EC Cl ₂	SRM04340	6809165
DrägerSensor XS EC ClO ₂	SRM04341	6811360
DrägerSensor XS EC Hydride	SRM04342	6809135
DrägerSensor XS EC CO ₂	SRM04343	6809175
DrägerSensor XS EC OV	SRM04344	6809115
DrägerSensor XS EC OV-A	SRM04345	6809522
DrägerSensor XS EC Odorant	SRM04347	6809200
DrägerSensor XS EC Amine	SRM04350	6809545
DrägerSensor XS EC CO HC	SRM04351	6809120
DrägerSensor XS EC H ₂	SRM04352	6809185
DrägerSensor XS EC H ₂ HC	SRM04353	6811365
DrägerSensor Smart PID	SRM03942	8319100

*Further DrägerSensors on request.



Dräger X-am® 8000



- Description:**
- Detection of up to seven toxic and/or flammable gases and fumes, as well as oxygen
 - Easy to switch between pump and diffusion mode
 - Optional Bluetooth module for connecting with CSE Connect Android app
 - Easy to read with colour display and zoom function
 - Inductive charging

Note: Battery included. For use, please also order the necessary accessories, such as DrägerSensors and charger. Use the Dräger testing and calibration stations as well as the necessary gases to conduct the required function tests before each use.

Rental No.: SRM11894

Order No.: 8325800



D-14286-2017


Equipment

	Description	Rental No.	Order No.
A	Dräger Inductive charger for charging 1 device	SRM11897	8325825
	Dräger X-am 8000 Pump	SRM11895	–
	Dräger X-am 8000 Pump adapter incl. dust and water filter	SRM11896	8326820
	Dräger Adapter for power plug	SRM11943	8325736
B	Dräger Power plug 100-240 VAC; 1.33 A for charging up to five devices	SRM09765	8321849
	Dräger 100-240 VAC Power supply; 6.25 A (X-dock) for charging up to 20 devices	SRM09206	8321850
	Dräger X-dock® Module Dräger X-am® 8000+	SRM11903	8321894
	Dräger X-dock 5300 X-am 8000	SRM11940	8321882
	Dräger Calibration adapter for X-am 8000	SRM11899	8326821
C	Dräger X-am 8000 Leather carrying case	SRM11898	8327664



	Description*	Rental No.	Order No.
A	DrägerSensor CatEx 125 PR	SRM04311	6812950
	DrägerSensor CatEx 125 PR gas	SRM11944	6813080
	DrägerSensor Dual IR Ex/CO ₂	SRM06493	6811960
B	DrägerSensor IR Ex	SRM08044	6812180
	DrägerSensor IR CO ₂	SRM07713	6812190
C	DrägerSensor® PID LC ppb (10.6 eV)	SRM11900	6813500
	DrägerSensor® PID HC (10.6 eV)	SRM11901	6813475
	DrägerSensor® XXS O ₂	SRM04313	6810881
	DrägerSensor® XXS O ₂ 100	SRM09869	6812385
	DrägerSensor® XXS CO LC	SRM04371	6813210
	DrägerSensor® XXS CO HC	SRM09977	6812010
	DrägerSensor® XXS CO/H ₂ compensated	SRM04325	6811950
	DrägerSensor® XXS H ₂ S LC ₂	SRM04323	6811525
	DrägerSensor® XXS H ₂ S HC	SRM10034	6812015
	DrägerSensor® XXS CO LC/H ₂ S LC	SRM11945	6813280
	DrägerSensor® XXS CO LC/O ₂	SRM11529	6813275
	DrägerSensor® XXS NO	SRM06442	6811545
	DrägerSensor® XXS NO ₂	SRM04314	6810884
	DrägerSensor® XXS NO ₂ LC	SRM08213	6812600
	DrägerSensor® XXS SO ₂	SRM04315	6810885
	DrägerSensor® XXS PH ₃	SRM04316	6810886
	DrägerSensor® XXS PH ₃ HC	SRM10296	6812020
	DrägerSensor® XXS HCN	SRM04317	6810887
	DrägerSensor® XXS HCN PC	SRM11946	6813165
	DrägerSensor® XXS NH ₃	SRM04318	6810888
	DrägerSensor® XXS CO ₂	SRM04319	6810889
	DrägerSensor® XXS Cl ₂	SRM04320	6810890
	DrägerSensor® XXS H ₂	SRM06583	6812370
	DrägerSensor® XXS H ₂ HC	SRM06499	6812025
	DrägerSensor® XXS OV	SRM04321	6811530
	DrägerSensor® XXS OV-A	SRM04322	6811535
	DrägerSensor® XXS Amine	SRM08797	6812545
	DrägerSensor® XXS Odorant	SRM06658	6812535
	DrägerSensor® XXS COCl ₂	SRM08434	6812005
	DrägerSensor® XXS Ozone	SRM07230	6811540

*Further DrägerSensors on request.



Accessories for Portable Single- and Multi-Gas Detection Devices



Dräger Communication module for Dräger Pac®

Rental No.: SRM06741

Order No.: 8318587



Dräger Leather carrying case for Dräger Pac®

Rental No.: SRM06174

Order No.: 4543822



Dräger X-am 1/2/5x00 Charging module

For use, please order the necessary mains charger

Rental No.: SRM03693

Order No.: 8318639



Dräger X-am 7000 Charging module

For use, please order the necessary mains charger

Rental No.: SRM03699

Order No.: 8316487



Dräger 8 X-am 7000 or 20 X-am 2/5x00 Multi charger

Mains charger with connection cable for up to 20 charging modules

For use, please order the necessary charging modules

Rental No.: SRM03856

Order No.: 8315805



Battery charger 12 V/1.2 A (for 1 X-am 7000 or 2 X-am 2/5x00)

For use, please order the necessary charging modules

Rental No.: SRM06539

Order No.: 8315635



Dräger 12 V/2.5 A Power supply (for 1 X-am 7000 or 2 X-am 2/5x00)

For use, please order the necessary charging modules

Rental No.: SRM04220

Order No.: 8316994



Dräger Adapter Bump Test Station (to DIN 14 cylinders)

For connecting with 200 bar gas cylinders

Rental No.: SRM07146

Order No.: 6811869

D-11858-2016


**Dräger X-am Pump
incl. USB charger**

Rental No.:	SRM11712
Order No.:	8327115

D-34534-2009


**Dräger Connection filter set
for Dräger X-am Pump**

Accessories for Dräger X-am
1/2/5x00

Rental No.:	SRM06275
Order No.:	8319364

D-14233-2014


Dräger X-am 7000 Pump

Rental No.:	SRM03937
Order No.:	8317406

D-2123-2011


**Dräger X-am 7000 Pump
adapter incl. water and
dust filter**

Rental No.:	SRM06052
Order No.:	8317639

D-10380-2009


Dräger hose, conductive, bulk

Accessories for Dräger pump
X-am series

Rubber hose, antistatic and
electrically conductive

Rental No.:	SRM06422
Order No.:	1180681

D-10381-2009


Dräger Viton hose, bulk

Accessories for Dräger pump
X-am series

Viton hose, solvent-resistant

Rental No.:	SRM06846
Order No.:	1203150

D-10383-2009


**Dräger Float probe
(without hose)**

Accessories for Dräger X-am
series

Rental No.:	SRM03959
Order No.:	6802337

D-10391-2009


**Dräger Float probe
(including 10 m hose)**

Accessories for Dräger X-am
series

Rental No.:	SRM03960
Order No.:	6807097

D-10391-2009



Dräger Float probe (with 5 m Viton hose, H₂S)

Accessories for Dräger X-am series

Rental No.: SRM06282

Order No.: 8318371

ST-14992-2008



Dräger Telescopic probe 100, with accessories

Accessories for Dräger pump X-am series

Rental No.: SRM06278

Order No.: 8316530

D-10113-2009




Dräger ES 150 Telescopic probe

Accessories for Dräger X-am series

Rental No.: SRM08926

Order No.: 8316533

ST-14959-2008



Dräger Plug-in telescopic probe

Accessories for Dräger X-am series

Rental No.: SRM10221

Order No.: 6801954

D-25397-2009



Dräger Bar probe 400

Accessories for Dräger pump X-am series

Rental No.: SRM03954

Order No.: 8317188

ST-13271-2007



Dräger CSE carry case set for Dräger X-am 1/2/5x00 without pump

Accessories for Dräger X-am 1/2/5x00

Rental No.: SRM04214

Order No.: 8319399

ST-15011-2008



Dräger Leather carrying case for X-am 1/2/5x00

Rental No.: SRM06779

Order No.: 8318755

ST-7456-2005



Dräger X-am 7000 Nylon carry case

Rental No.: SRM03945

Order No.: 8317684

D-65692-2017



**Dräger Inductive charger for
charging 1 device**

Rental No.: SRM11897

Order No.: 8325825

ST-14332-2008



**Dräger Adapter for power
plug**

Rental No.: SRM11943

Order No.: 8325736

D-14324-2017



**Dräger X-am 8000
Pump adapter incl. dust
and water filter**

Rental No.: SRM11896

Order No.: 8326820

D-27810-2017



**Dräger X-am 8000
Leather carrying case**

Rental No.: SRM11898

Order No.: 8327664

Testing and Calibration Stations for Portable Detection Devices

D-47820-2012



Dräger X-dock® 5300 Pac

Rental No.: SRM09205

Order No.: 8321881

D-47798-2012



Dräger X-dock® 5300 X-am 1/2/5x00 (master incl. 1 module)

Master station and device module for Dräger X-am 1/2/5x00 with three gas connections

Mains charger included

Rental No.: SRM08911

Order No.: 8321880

D-27820-2017



Dräger X-dock 5300 X-am 8000

Rental No.: SRM11940

Order No.: 8321882

D-47885-2012



Dräger X-dock® 6300

Freely configurable master station for managing the device fleet

Rental No.: SRM09203

Order No.: 8321900

D-47912-2012



Dräger X-dock® 6600 (master)

Master station with six gas connections, plus fresh air, for managing the device fleet
Up to ten modules combinable

Rental No.: SRM09325

Order No.: 8321901

D-52815-2012



Dräger X-dock Module for Dräger Pac®

Device module for holding one Dräger Pac 35/55/7000

Rental No.: SRM09204

Order No.: 8321892

D-52814-2012



Dräger X-dock Module X-am 1/2/5x00

Device module for holding one Dräger X-am 1/2/5x00

Rental No.: SRM09285

Order No.: 8321890

D-52814-2012



Dräger X-dock Module X-am 125+

Device module for holding one Dräger X-am 1/2/5x00 + charging function

Rental No.: SRM08965

Order No.: 8321891

D-27824-2017


Dräger X-dock® Module
Dräger X-am® 8000+

Rental No.:	SRM11903
Order No.:	8321894

D-10276-2009


Dräger Bump Test Station for Dräger Pac®

Automatic testing station for verifying functionality of Dräger Pac 35/55/7000

Without IR interface for Dräger mobile printers

Rental No.:	SRM05741
Order No.:	8317410

D-10274-2009


Dräger Bump Test Station X-am 1/2/5x00

Automatic testing station for verifying functionality of Dräger X-am 1/2/5x00

Rental No.:	SRM04085
Order No.:	8319131

ST-15016-2008


Dräger Bump Test Station X-am 7000

Automatic testing station for verifying functionality of Dräger X-am® 7000

Rental No.:	SRM04691
Order No.:	8318909

ST-14360-2008


Dräger Calibration cradle for X-am 1/2/5x00

Calibration accessories

Rental No.:	SRM05752
Order No.:	8318752

ST-15004-2008


Dräger Calibration adapter for X-am 7000

Calibration accessories

Rental No.:	SRM06424
Order No.:	8317656

D-14322-2017


Dräger Calibration adapter for X-am 8000

Rental No.:	SRM11899
Order No.:	8326821

ST-1570-2005


Dräger E-Cal Master 6 USB

Automatic testing and calibration station for all portable Dräger gas detection devices

Master station with six gas connections/up to ten modules combinable

Rental No.:	SRM05740
Order No.:	8319456

ST-570-2005

**Dräger E-Cal Master 12 USB**

Automatic testing and calibration station for all portable Dräger gas detection devices

Master station with twelve gas connections/up to ten modules combinable

Rental No.: SRM03848

Order No.: 8319412

D-10278-2009

**Dräger E-Cal Module X-am 1/2/5x00**

Device module for holding four Dräger X-am 1/2/5x00 devices

Rental No.: SRM04020

Order No.: 8318754

D-10277-2009

**Dräger E-Cal Module for Dräger Pac®**

Device module for holding four Dräger Pac 35/55/7000

Rental No.: SRM04007

Order No.: 8318589

ST-567-2005

**Dräger E-Cal Module X-am 7000**

Device module for holding one Dräger X-am® 7000

Rental No.: SRM03849

Order No.: 8317705

ST-549-2005

**Dräger E-Cal Purge Module**

Device module for exhaust gases

Rental No.: SRM06911

Order No.: 8316560

D-11853-2016

**Dräger On Demand Regulation Valve for 10 L (E-Cal)**

For high-pressure cylinders with DIN 14 thread

For devices with internal pump

Flow rate 0.5 L/min, 0-207 bar/0-3,000 psig

Rental No.: SRM04030

Order No.: 6810692

ST-4808-2005

**Dräger Trigger Valve**

Pressure reducer for disposable gas cylinders

Flow rate 0.5 L/min

Rental No.: SRM08698

Order No.: 6810649

D-34505-2009

**Dräger Gasvision Software**

Software for analysing test values using Windows

Compatible with Dräger X-am 1700/2000/3000/5x00/7000, Dräger Pac 35/55/7000, Dräger Multi-PID 2, Dräger Multiwarn II, Dräger MiniWarn and Dräger Pac III

Rental No.: SRM04084

Order No.: 8325646

ST-8390-2006

**Dräger Mobile Printer**

Mobile printer for use with the
Dräger Bump Test Station

Rental No.: SRM05166

Order No.: 8319310

D-47925-2012

**Dräger Power plug
100-240 VAC; 1.33 A**

For charging up to five devices

Rental No.: SRM09765

Order No.: 8321849

D-47917-2012

**Dräger 100-240 VAC Power
supply; 6.25 A (X-dock)**

For charging up to 20 devices

Rental No.: SRM09206

Order No.: 8321850

Multi-Gas Scanners

Dräger Multi-PID 2

Description:	– Detection of organic air pollutants
	– Firmware in five languages
	– 10.6 eV detector light
	– NiMh battery in device
	– Sampling hose with 17 cm spring and hand strap
	– Acoustic alarm and LED for warning against hazardous concentrations
	– Built-in data memory

Note:	Battery included.
	For use, please order charger separately.

Rental No.:	SRM03893
-------------	----------

Order No.:	8318320
------------	---------



ST-8378-2/006

Equipment

	Description	Rental No.	Order No.
A	Dräger Field case for Multi-PID 2	SRM06407	8317663
B	Dräger Charger EU/220 V for Multi-PID 2	SRM06979	8317661
C	Dräger Pretube holder for Multi-PID 2	SRM06408	8319093
	Test Gas 58 L, 100 ppm I-C4H8/air	SRM08873	6811629



ST-14346-2/008



D-98767-2/013



ST-8361-2/006

Dräger X-pid® 9500*



- Description:**
- Selective detection of gases, fumes and toxic hazardous substances
 - Rapid response times and laboratory-quality test results
 - Ready to use immediately after short warm-up phase
 - Reliable measurements under any environmental conditions

Note: Device supplied with sensor unit, explosion-proof smartphone with preinstalled app, mains adapter and charging cable.
For use, please order the necessary accessories and consumables.

Rental No.: SRM11924

Order No.: 6851847



D-18382-2017

*Please contact the Dräger Rental Service for information about availability.

Equipment

	Description	Rental No.	Order No.
A	Dräger Case with inlay for Dräger X-pid® 9x00	SRM11925	6851851
	Test Gas 58 L, C4H8, C7H8/N2 (X-pid)	SRM11981	6814046
B	Control valve basic 0.5 LPM	SRM06501	6810397
	Dräger X-pid® 9500 Test gas adapter	SRM11982	6851850
C	Dräger ES 150 Telescopic probe	SRM08926	8316533
D	Dräger Float probe (without hose)	SRM03959	6802337
	Hose 4.76 × 1.59 mm, 3 m, Tygon, PTFE	SRM11639	8326980



Phocheck Tiger PID

- Description:**
- PID gas detection devices
 - Detection of volatile organic compounds (VOCs) and over 450 different gases
 - Choose between acoustic and visual alarm signals
 - Adjustable to client-specific alarm thresholds
 - Sturdy rubber coating protects device against heavy wear
 - Built-in USB port
 - Rapid device response time of 1.5 seconds
 - Service life of up to 30 hours

Note: For use, please order charging equipment separately.

Rental No.: SRM10744



D-593-2014

Equipment

	Description	Rental No.
A	Field case PID (Phocheck Tiger)	SRM10776
B	Charging module PID (Phocheck Tiger)	SRM10803
C	Battery charger PID (Phocheck Tiger)	SRM10802
D	Pretube holder PID (Phocheck Tiger)	SRM10806
E	PID lamp module 10.6 V (Phocheck Tiger)	SRM10775



D-592-2014



D-594-2014



D-597-2014



D-595-2014



D-596-2014

Short-Term Measurement Systems

Dräger X-act® 5000

- Description:**
- Automatic Dräger tube pump for detecting or sampling gases, fumes and aerosols
 - Durable casing that protects all pump components against corrosion
 - Carrying straps
 - Approved for zone 0

Note: For use, please select the system components separately.

Rental No.: SRM08236

Order No.: 4523500



D-12125-2010

Equipment

	Description	Rental No.	Order No.
A	Dräger-Tubes Choose the short-term measurement tubes suitable for your application from the overview on the second next page		
B	Dräger X-act® 5000 7.2 V NiMH Battery	SRM08757	4523520
C	Extension hose, Dräger accuro & X-act 5000, 1 m	SRM06650	6400561
D	Extension hose, Dräger accuro & X-act 5000, 3 m	SRM03952	6400077
E	Extension hose, Dräger accuro & X-act 5000, 10 m	SRM03953	6400078



D-23423-2009



D-56802-2012



D-43947-2012



ST-14319-2008



D-43160-2012

Dräger-Tube pump accuro

Description:

- Dräger-Tube pump with tube opener and stroke counter
- For short-term detection with low stroke counts
- Manual membrane pump with one-handed operation
- BVS 04 ATEX H 068

Note: For use, please select the system components separately.

Rental No.: SRM03593

Order No.: 6400000



D-19328-2009

Equipment

	Description	Rental No.	Order No.
A	Dräger-Tubes Choose the short-term measurement tubes suitable for your application from the overview on the following page		
B	Dräger TO 7000 Tube opener	SRM05499	6401200
C	Dräger Bar probe 400	SRM03954	8317188
D	Extension hose, Dräger accuro & X-act 5000, 1 m	SRM06650	6400561
E	Extension hose, Dräger accuro & X-act 5000, 3 m	SRM03952	6400077
F	Extension hose, Dräger accuro & X-act 5000, 10 m	SRM03953	6400078



D-23423-2009



ST-1989-2005



D-25397-2009



D-43947-2012



ST-14319-2008



D-43160-2012

A Dräger-Tubes*	Order No.
ABT (toluene 5/b)	8101661
Acetic Acid 5/a	6722101
Acrylonitrile 0.5/a	CH26901
Ammonia 0.25/a	8101711
Ammonia 2/a	6733231
Ammonia 5/a	CH20501
Benzene 0.25/a	8103691
Carbon Dioxide 0.1%/a	CH23501
Carbon Dioxide 0.5%/a	CH31401
Carbon Dioxide 100/a	8101811
Carbon Monoxide 10/b	CH20601
Carbon Monoxide 2/a	6733051
Carbon Monoxide 5/c	CH25601
Chlorine 0.2/a	CH24301
Cyanogen Chloride 0.25/a	CH19801
Formaldehyde 0.2/a	6733081
Hydrocarbons 0.1%/c	8103571
Hydrocyanic Acid 0.5/a	8103601
Hydrogen Fluoride 0.5/a	8103251
Hydrogen Fluoride 1.5/b	CH30301
Hydrogen Phosphide 0,1/a	CH31101
Mercaptan 0.1/a	8103281
Methyl Bromide 0.2/a	8103391
Methyl Bromide 0.5/a	8101671
Nitrous Gases 2/a	CH31001
Perchloroethylene 2/a	8101501
Petrol Hydrocarbons 10/a	8101691
Phenol 1/b	8101641
Polytest	CH28401

*Further Dräger-Tubes on request.



D-14601-2017

Dräger CMS® Analyzer

- Description:**
- Portable chip detection system for detecting spot concentrations of a known gas or fume
 - Digital display of test results
 - Data recorder
 - Battery life allows for testing duration of approx. seven hours
 - Each chip allows ten possible measurements

Note: Battery included.
For use, please order the necessary Dräger CMS Chips separately.

Rental No.: SRM06781

Order No.: 6405300



D-10374-2009

Equipment

	Description	Rental No.	Order No.
A	Dräger CMS Chips Choose the chips that are suitable for your application from the overview on the following page		
B	Dräger CMS Remote system	SRM06854	6405060
C	Dräger CMS Extension hose, 3 m (incl. float and adapter)	SRM03956	8317614
C	Dräger CMS Extension hose, 10 m (incl. float and adapter)	SRM03957	8317613



A Dräger CMS Chips*	Order No.
Acetic Acid	6406330
Acetone	6406470
Ammonia	6406550
Ammonia	6406130
Ammonia	6406020
Benzene	6406600
Benzene	6406030
Benzene	6406280
Butadiene	6406460
Carbon Dioxide	6406190
Carbon Dioxide	6406070
Carbon Dioxide	6406210
Carbon Monoxide	6406080
Chlorine	6406010
Ethanol	6406370
Ethylene Oxide	6406580
Formaldehyde	6406540
Hydrochloric Acid	6406090
Hydrochloric Acid	6406140
Hydrocyanic Acid	6406100
Hydrogen Sulphide	6406520
Hydrogen Sulphide	6406050
Hydrogen Sulphide	6406150
Hydrogen Sulphide	6406220
Mercaptan	6406360
Methanol	6406380
MTBE	6406530
Nitrogen Dioxide	6406120
Nitrous gases	6406060
Nitrous gases	6406240
O-xylene	6406260
Oxygen	6406490
Ozone	6406430
Petrol Hydrocarbons	6406200
Petrol Hydrocarbons	6406270
Phosgene	6406340
Propane	6406310
Styrene	6406560
Sulphur Dioxide	6406110
Sulphur Dioxide	6406180
Toluene	6406250
Training Chip	6406290
Vinyl Chloride	6406170

*Further Dräger CMS Chips on request.

Alcohol and Drug Measuring Systems

Dräger DrugTest® 5000

Description:	– Detection of drugs (amphetamine, benzodiazepine, cannabis, cocaine, methamphetamine and opiates) e.g. from oral samples – Test results displayed and saved immediately after analysis is complete – Analyzer includes mains charger and 12 V car adapter
--------------	--

Note:	For use, please order the necessary test kits separately.
-------	---

Rental No.:	SRM05164
-------------	----------

Order No.:	8319900
------------	---------



D-54726-2012

Equipment

	Description	Rental No.	Order No.
A	Dräger Mobile Printer	SRM05166	8319310
B	Dräger Carrying case for DrugTest® 5000	SRM05165	8319960



ST-1521-2007



D-2034-2011

Dräger Alcotest® 5510

- Description:**
- Precise and quick breath-alcohol analysis
 - Portable testing device with numerous configuration options
 - Sensor's rapid response time allows quick display of test results
 - Batteries included

Note: For use, please order the necessary mouthpieces separately.

Rental No.: SRM10389

Order No.: 8322650



D-55698-2012

Dräger Alcotest® 6510

- Description:**
- Manual testing device for breath-alcohol analysis
 - Full-text display on graphic screen
 - Client-specific test data display
 - Data storage for up to ten test results

Note: For use, please order the necessary power supply unit and mouthpieces separately.

Rental No.: SRM03912

Order No.: 8317900



ST-205-2004

Dräger Alcotest® 6810

- Description:**
- Portable testing device for breath-alcohol analysis
 - Full-text display on graphic screen
 - Client-specific test data display
 - Data storage for up to 2,000 test results
 - Optical interface for printer control
 - PC connection for reading out test data
 - Rechargeable NiMH battery in device

Note: For use, please order the necessary power supply unit, charger and mouthpieces separately.

Rental No.: SRM05688

Order No.: 8320310



ST-1689-2005

Equipment

Description	Rental No.	Order No.
Dräger 600 mA/11 V Power supply for Alcotests	SRM05523	8316991

Area Monitoring Systems

Dräger X-zone 5500 Pump 868 MHZ/24 AH

Flexible all-rounder for area monitoring

- Description:**
- Expands Dräger X-am® 5000/5600 personal gas detection devices into networkable area monitoring devices
 - Alarm chain with up to 25 devices possible
 - Built-in pump enables monitoring of difficult-to-access areas or confined spaces (up to 45 m distance)
 - 360° gas entry, clear warning using LED light ring and acoustic signal
 - Service life of 120 hours
 - Approved for zone 0

Note: Battery included. For use, please order the necessary charging equipment and X-am 5000/5600 separately.

Rental No.: SRM10246


Order No.: 8324821



D-77511-2013

Equipment

	Description	Rental No.	Order No.
A	Dräger X-zone 5000 Bump test adapter	SRM06270	8323314
B	Dräger X-zone 5000 Holder X-am pump	SRM06269	8323936
	Dräger X-zone 5000 Diffusion cap	SRM06268	8323935
C	Dräger X-zone 5000 Alarm damper	SRM06271	8320110
D	Dräger X-zone 5000 Leg extender	SRM06272	8320645
	Dräger X-zone 5000 Inductive charger	SRM06273	8322080
	Dräger X-zone 5000 Single charger 15 V/2 A	SRM06274	8320749
E	X-zone Com incl. SIM card	SRM10303	8326514
F	Dräger X-zone Com Antenna	SRM10553	8324372
	Dräger X-zone Com Ex Power supply	SRM10973	8324374





Jaeger



CHEMICAL PROTECTIVE SUITS

Chemical protective suits come in many versions. Choosing the right one depends on your specific work duties. Are you planning clearance measurements, transferring substances (e.g., filling, decanting and draining containers), or service and maintenance work? Do you need to perform cleaning operations or simply be prepared for emergency operational readiness? We are happy to advise you in selecting the appropriate product.

Chemical Protective Suits

Dräger CPS 5800 L

Description:	– Limited-use protective suit for operations that involve a gaseous, liquid or solid hazardous substance – Diagonal zipper – Pressure relief valve at chest level – Use with compressed air breathing apparatus, external powered air-purifying respirators or compressed air hose device – EN 943-1:2002, EN 943-2:2002 (ET) and SOLAS II-2, Reg. 19
--------------	---

Note:	For use, please order the necessary respiratory protective gear separately.
-------	---

Rental No.:	SRM06592
-------------	----------

Order No.:	R57788
------------	--------



D-22672-2009

Dräger CPS 5800 XL

Description:	– Limited-use protective suit for operations that involve a gaseous, liquid or solid hazardous substance – Diagonal zipper – Pressure relief valve at chest height – Use with compressed air breathing apparatus, external powered air-purifying respirators or compressed air hose device – EN 943-1:2002, EN 943-2:2002 (ET) and SOLAS II-2, Reg. 19
--------------	--

Note:	For use, please order the necessary respiratory protective gear separately.
-------	---

Rental No.:	SRM06657
-------------	----------

Order No.:	R57789
------------	--------



D-13083-2010

Dräger CPS 7800

Description:	– Limited-use protective suit for operations that involve a gaseous, liquid or solid hazardous substance – Diagonal zipper – Pressure relief valve at chest height – Use with compressed air breathing apparatus, external powered air-purifying respirators or compressed air hose device – EN 943 parts 1+2, EN 1073-1/2, EN 14126, EN 14593, VFDB directive 08/01:2006-11 (applied), BS 8467, SOLAS
--------------	--

Note:	For use, please order the necessary respiratory protective gear separately.
-------	---

Rental No.:	SRM10300
-------------	----------

Order No.:	R29650
------------	--------



D-44269-2012

Dräger Comfort Vest CVP 5220, L/XL

- Description:
- Cooling clothing for work at high ambient temperatures or strenuous work
 - Cooling starts automatically at skin temperatures of 28°C or higher
 - Can be worn underneath protective clothing
 - Cools for up to four hours


Rental No.: SRM04538

Order No.: R58763



D-13073-2010





FALL PROTECTION

Falls from great height are among the most frequent causes of industrial accidents worldwide. Yet it is a very avoidable incident. We supply you with products from renowned manufacturers. Choose from different body harnesses, strap fall attenuators, harnesses and fall arresters in a variety of lengths. In addition, there are rescue solutions and solutions for the controlled entry of persons into containers.

Fall Arresting Devices

Fall Arresting Devices

Description: – Efficient protection before actual tasks at various elevations
– Reliably catches falling persons or completely prevents falls
– Available in various versions


Note: Please order the compatible harness separately.

Rental No.: See Ordering Information



D-407-2017

Ordering Information		Rental No.
	Rebel fall arrest device, 10 m (Capital Safety)	SRM11537
	Rebel fall arrest device, 15 m (Capital Safety)	SRM09507
	Rebel fall arrest device, 20 m (Capital Safety)	SRM10631
A	Twin Talon fall arrest device with scaffold spring hooks (Capital Safety)	SRM09015
B	Nano-Lok Edge fall arrest device, 2.5 m (Capital Safety)	SRM10217
C	Fall arrest device, 25 m with Sealed-Blok (Capital Safety)	SRM10629
D	Rebel fall arrest device with rescue hoist, 15 m (Capital Safety)	SRM11671
E	Fall arrest device, 18 m with rescue hoist (MAS)	SRM08414
	Fall arrest device, 24 m with rescue hoist (MAS)	SRM05055
	Fall arrest device, 33 m with rescue hoist (Bornack)	SRM03758
F	Fall arrest device, 65 m with rescue hoist (MAS)	SRM09348



D-408-2017



D-409-2017



D-410-2017



D-382-2017



D-565-2014



STL-19257-2008

Winches

Description:

- For use in combination with tripod or tank platform supports
- Falls prevented by shutting down operating power
- Additional lengths available on request

Rental No.: See Ordering Information



STL-15261-2008

Ordering Information		Rental No.
	Safety winch, 22 m (Bornack)	SRM10772
	Safety winch, 25 m (Bornack)	SRM03755
A	Safety winch, 27 m (Capital Safety)	SRM10737
	Safety winch, 40 m (Bornack)	SRM03756
	Safety winch, 42 m (Capital Safety)	SRM10738
	Safety winch, 55 m (Bornack)	SRM04031
B	Safety winch, 60 m (Capital Safety)	SRM09349



D-415-2017



D-570-2014

Rollgliss, 90 m (Capital Safety)

- Description:
- Quick, secure setup
 - Vertical descending
 - Pulley principle
 - Ratio 3:1
 - Guide rolls and cable stop

Rental No.: SRM04088



STL-15386-2008

Rollgliss, 200 m (Capital Safety)

- Description:
- Quick, secure setup
 - Vertical descending
 - Pulley principle
 - Ratio 3:1
 - Guide rolls and cable stop

Rental No.: SRM05069



STL-15386-2008

Tripod Advanced (Capital Safety)

- Description:
- 3 m aluminium tripod
 - Adjustable telescopic lock system
 - Integrated guide rolls system
 - Rubber safety shoes with edge dressing
 - Leg safety chain

Rental No.: SRM10627



D-417/2017

Tripod (MAS)

- Description:
- With retractable feet for use on hard or soft ground
 - Lightweight aluminium design
 - Anti-corrosion coating
 - Height-adjustable
 - Telescopic legs
 - DIN EN 795, Class B
 - Choice of harness or fall arrester

Rental No.: SRM05054



D-14241-2014

Horizontal Boom – Side Access (Bornack)

- Description:
- For rescuing/accessing from horizontal inlets/outlets
 - Winch boom and wall console
 - Approved for simultaneous use by two persons
 - Without safety winch and rescue slide

Rental No.: SRM05931



D-3180-2011

Extreme Jib PM 3500 (Bornack)

- Description:
- For rescuing from difficult-to-access areas at a distance of up to 3.5 m
 - Variable positioning of safety winches
 - Easy storage, transport and assembly
 - Telescopic jib with deflector rollers
 - Fast change plate for passenger winch
 - Pedestal

Rental No.: SRM04032



STL-15394-2008

Side Entry System (Capital Safety)

- Description:
- Access to and rescue from confined spaces
 - Rescue operations with horizontal access
 - Includes flexible orientation options, plus fully extendable arm system

Rental No.: SRM11609



D-406-2017

Tank Platform Supports (Bornack)

- Description:
- Safety device for side entry into containers, etc.
 - For positioning alongside columns or tanks
 - Movable attachment construction for securing and rescuing persons

Rental No.: SRM03760



STL-15392-2008

Rescue Slide (Bornack)

- Description:
- For rescuing from vertical exit points
 - Combinable with fall arresting systems
 - Slide in aluminium
 - Size one for manholes 500/600 mm
 - Mounting clamps for mounting the slide on the flange ring

Rental No.: SRM03759



STL-15260-2008

Rope Ladder, 10 m (Bornack)

- Description:
- Rope rungs for easier entry
 - Break resistant above 15 kN
 - Load capacity of up to three persons
 - Free rope loops above and below
 - Extension with karabiners possible

Rental No.: SRM03926



STL-15265-2008

Rescue Ladder System, 2.5 m (Capital Safety)

- Description:
- Polyester web rope ladder
 - Reinforced rope rungs
 - Karabiner included in module
 - Extendable up to 10 m

Rental No.: SRM10723



D-610-2014

Trapeze for Rope Ladder (Capital Safety)

- Description:
- Main component: alloy steel, rust-proof
 - Apparatus for enabling a single fixing point for the rope ladder

Rental No.: SRM10724



D-611-2014

Safety Rope, 30 m

- Description:
- For rescuing persons, self-rescue and personal safety
 - Storage in linen bag
 - Four-strand polyamide rope
 - Optionally with karabiners
 - DIN 14920

Rental No.: SRM04090



STL-15253-2008

Multipurpose Rope, 20 m

- Description:
- Made from patented nylon
 - Endless spiral braid
 - With loop and wooden handle
 - Approx. 10 mm × 20 m

Rental No.: SRM10370



D-580-2014

Basket Stretcher (MAS)

- Description:
- Rescue and transport of patients
 - Use with rope winches possible
 - Dimensions: L × W × H: 2,170 × 620 × 185 mm

Rental No.: SRM04669



STL-15354-2008

Rescue Stretcher SKED, Orange

- Description:
- Rescue stretcher for confined spaces, high angle or technical rescue
 - Protection for the patient
 - Mobility in the hip region enables horizontal rescue
 - Steel karabiners, plus carry handles

Rental No.: SRM08056



D-584-2014

Harnesses

Harness 30 (MAS)

- Description:
- Catch eyelets in front and back
 - Height adjustment in front via adjustment slider
 - Sit harness
 - Adjustable shoulder, leg and rear straps
 - DIN EN 361 + 1497

Rental No.: SRM03846



STL-15239-2008

Harness Standard (Capital Safety)

- Description:
- Catch eyelet positions in back and front sides
 - Chest strap
 - Spring-loaded adjuster for upper body
 - Adjustable by pulling downwards
 - Strap positioning

Rental No.: SRM10626



D-587-2014

Fall Preventers

Shock-absorbing Lanyard 1.5 m Twin with Scaffold Hook (MAS)

- Description:
- For vertical and horizontal application
 - Made from 27 mm strap belt
 - Impact force reduction below 600 kg
 - DIN EN 354 + 355

Rental No.: SRM04958



STL-15249-2008

Shock-absorbing Lanyard 2 m with Small Scaffold Hook (MAS)

- Description:
- Reduction of impact forces that occur during a fall
 - Made from 12 mm polyamide rope
 - Impact force reduction below 600 kg
 - DIN EN 354 + 355

Rental No.: SRM04010



STL-15247-2008

Shock-absorbing Lanyard 1.5 m Twin with Scaffold Hook (Capital Safety)

- Description:
- Lanyard with reliable fall protection
 - Flexible, resistant material
 - DIN EN 355

Rental No.: SRM10743



D-589-2014

Shock-absorbing Lanyard 2 m with Small Scaffold Hook(Capital Safety)

Description:

- Lanyard with fall impact absorber
- Durable, resistant material
- DIN EN 355

Rental No.: SRM10628



D-568-2014

Shock-absorbing Lanyard 2 m Single with Small Scaffold Hook (Capital Safety)

Description:

- Lanyard with fall impact absorber
- Fall safety with catch apparatus
- Woven synthetic fibre with rope

Rental No.: SRM11492



D-590-2014

Fall Arrester Viper, Rotating, 20 m (Capital Safety)

Description:

- Manual rope grip for use as part of a personal restraint or fall arrest device
- Portable lanyard connection point on a rope lifeline
- Includes fall impact absorber
- Incl. 12.5 mm low stretch Kernmantle rope, 20 m length
- Delivery: without box

Rental No.: SRM10739



D-568-2014

Anchorage Systems

Anchorage System SETP 1.35 m with Karabiner (Bornack)

- Description:
- Suitable for use at intermediate fixing points during lead climbing
 - Kevlar protective mantel to protect against cuts
 - Anti-twist, sewn-in steel karabiner; breaking load: 50 kN
 - Screw fastener
 - DIN EN 566, EN 354, EN 795 – sharp-edge resistant

Rental No.: SRM04036



D-8801-2009

Anchorage System, 1 m (MAS)

- Description:
- Made from 27 mm polyester belt strap
 - For workplace positioning
 - DIN EN 354 + EN 795, Class B

Rental No.: SRM04012

Order No.: 660001



STL-15258-2008

Anchorage System, 2 m (MAS)

- Description:
- Made from 27 mm polyester belt strap
 - For workplace positioning
 - DIN EN 354 + EN 795, Class B

Rental No.: SRM04013

Order No.: 660002



STL-15258-2008

Anchorage System, 1 m (Capital Safety)

Description:

- Sling made from galvanised steel
- 6 mm diameter
- Length 1 m
- 10 kN steel rope sling

Rental No.: SRM10815



Fall Protection Accessories

D-14256-2014



Solid Tie Bar Adjustable (Capital Safety)

Fall safety equipment

22 kN nominal load

Rental No.: SRM09352

D-601-2014



Work Seat (Capital Safety)

Wooden-chair with anti-tripping rubber cover

Rental No.: SRM09353

D-612-2014



Anchor System Greif-Fix, Diameter 100 (Bornack)

High stability

Suitable for scaffolding

One-hand operation

Rental No.: SRM09482

D-14259-2014



Anchor System Greif-Fix, Diameter 140 (Bornack)

High stability

Suitable for scaffolding

One-hand operation

Rental No.: SRM09483

STL-16270-2008



D-Karabiner Stainless Steel 22kN

Handy rustproof stainless steel karabiner

Rental No.: SRM04009

D-415-2017



Karabiner 22 kN (Capital Safety)

Large opening 33 mm

Quick and easy to open with one hand

Rental No.: SRM10204

D-585-2014



Tripod Pulley (Capital Safety)

Upper deflection roller unit for use with Advanced™ UCT tripods

Rental No.: SRM10543

D-586-2014



Console for Fall Arrester Device (Capital Safety)

Winch/fall safety equipment assembly holder with adapter

Simple attachment with locking pin

Rental No.: SRM10630





VENTILATION SYSTEMS

Sometimes, ventilation is required before work begins, to displace possibly existing toxic gases and vapours or to offset an oxygen deficiency. We supply you with compressed air-operated and explosion-proof Venturi systems made of stainless steel. For high-performance systems and firefighting, electric variants are an option – also available as Ex-versions.

Electrically Operated Ventilation Systems for Non-Hazardous Areas

Airclean Axial Fan 6000 Power

- Description:
- For aeration and ventilation of confined containers, spaces, storage tanks or process columns
 - Not approved for explosion-hazard areas
 - Performance: 6,000 cubic meters per hour
 - 230 V and 50 HZ/10 A motor
 - Dimensions: L × W × D: 210 × 510 × 510 mm
 - Weight: 12.5 kg

Rental No.: SRM03811



STL-15278-2008

Airclean Axial Fan 7000 Power

- Description:
- For aeration and ventilation of confined containers, spaces, storage tanks or process columns
 - Not approved for explosion-hazard areas
 - Performance: 7,000 cubic meters per hour
 - 230 V and 50 HZ/10 A motor
 - Dimensions: L × W × D: 240 × 620 × 620 mm
 - Weight: 15 kg

Rental No.: SRM03995



STL-15278-2008

Electrically Operated Ventilation Systems for Hazardous Areas

DR AirMover 4000 DN 300 Power



- Description:
- Explosion-proof fan with carry handle
 - For aeration and ventilation of confined containers, spaces, storage tanks or process columns
 - Approved for use in explosion-hazard areas
 - Dimensions: H x W x D: 410 x 380 x 380 mm
 - IEC 309 plug
 - Ex II G EEx de II B T 6
 - Weight: 18 kg

Rental No.: SRM03997



D-413-2017

DR AirMover 6000 DN 400 Power

- Description:
- Explosion-proof fan with carry handle
 - For aeration and ventilation of confined containers, spaces, storage tanks or process columns
 - Approved for use in explosion-hazard areas
 - Dimensions: H x W x D: 480 x 480 x 300 mm
 - IEC 309 plug
 - Ex II G EEx de II B T 6
 - Weight: 24 kg

Rental No.: SRM03999



D-414-2017

DR AirMover RAMFAN 1400 DN 260 Ex

- Description:
- Portable, explosion-proof multipurpose blower
 - Suitable for use in a range of harsh conditions
 - Antistatic casing for hazardous conditions
 - Durable double-walled casing
 - Weather-proof, chemical- and impact-resistant
 - Extremely compact and lightweight
 - Dimensions: H x W x D: 360 x 320 x 360 mm
 - Weight: 10 kg

Rental No.: SRM10712



D-404-2017

Compressed Air Operated Ventilation Systems for Hazardous Areas

DR AirMover 2500 DN 100 Venturi

- Description:
- For aeration and ventilation of spaces, storage tanks, process columns
 - Air consumption: 99 m³/h
 - Flow rate: 2,446 m³/h
 - Dimensions: L × W: 840 × 200 mm
 - Flange API 3 (6.56 BC)
 - (ATEX 95) Ex II

Rental No.: SRM03712



STL-15274-2008

DR AirMover 4000 DN 300 Venturi

- Description:
- For aeration and ventilation of spaces, storage tanks, process columns
 - Air consumption: 315 m³/h
 - Suction volume: 4,983 m³/h
 - Blower volume: 5,299 m³/h
 - Dimensions: L × D: 500 × 300 mm
 - BSPP: 1" connection
 - (ATEX 95) Ex II

Rental No.: SRM03710



STL-15275-2008

Ventilation System Accessories

D-411-2017



**DR AirMover Antist. Elect.
Hose for Air Transport
7600 × DN 125**

Spiral hose made from
reinforced PVC-polyester mesh

Antistatic and flame retardant

Rental No.: SRM03752

D-412-2017



**DR AirMover Air Transport Tube
7600 × DN 400**

Spiral hose made from
reinforced PVC-polyester mesh

Antistatic and flame retardant

Rental No.: SRM04000

D-14222-2014



**DR AirMover Antistatic Hose
for Air Transport with Quick
Release 7600 × DN 303**

Spiral hose made from
reinforced PVC-polyester mesh

Antistatic and flame retardant

With quick-release coupling

Rental No.: SRM08342

D-798-2016



**DR AirMover Compressed Air
Supply Hose, 20 m 3/4"**

20 m (3/4") pressure supply
hose for feeding compressed
air-driven fans

Rental No.: SRM03704

D-419-2017



**Dräger Adapter
EX-Connector/Socket**

For use with Dräger GDS 2008
(europlug/Schuko)

Rental No.: SRM06601

D-403-2017



**Quick Coupling Drum
7600 × 260**

Rental No.: SRM10713





FIRE PROTECTION

Hot work must be carried out safely. Effective prevention includes, among other things, ultra-heat-resistant welding mats to protect against sparks. In the event of a worst-case scenario, portable fire extinguishers with the appropriate fire classification or portable pumps with suitable hoses should always be nearby. We also stock matching accessories such as radiant tubes and collection items for you. And in the event of particularly high risk, we even deliver a firefighting vehicle to your front door, if needed.

Fire Protection

2 kg CO₂ Fire Extinguisher

- Description:
- Fire class B (C)
 - Permanent pressurized
 - Combined handle and trigger
 - Temperature range: -30°C to +60°C
 - Approval: EN 3

Rental No.: SRM03932



STL-15286-2008

5 kg CO₂ Fire Extinguisher

- Description:
- Fire class B (C)
 - Permanent pressurized
 - Combined handle and trigger
 - Temperature range: -30°C to +60°C
 - Approval: EN 3

Rental No.: SRM03933



STL-15286-2008

6 kg Powder Fire Extinguisher

- Description:
- Fire class ABC
 - Integrated compressed air cylinder
 - Combined carrying and impact trigger fitting
 - Temperature range: -30°C° to +60°C
 - Approval: EN 3

Rental No.: SRM03929



STL-15286-2008

12 kg Powder Fire Extinguisher

- Description:
- Fire class ABC
 - Integrated compressed air cylinder
 - Combined carrying and impact trigger fitting
 - Temperature range: -30°C to +60°C
 - Approval: EN 3

Rental No.: SRM03931



STL-15285-2008

9 kg Water Fire Extinguisher

- Description:
- Fire class A
 - Inboard compressed gas cylinder
 - Handle valve, hose and extinguishing nozzle

Rental No.: SRM07679



D-606-2014

Water Hand-Pumped Extinguisher 10 L

- Description:
- Lid with easy-to-use clasp and carrying handle
 - Double-action pump with 3/4" thread connection and 1 m rubber hose (1/2") with mouthpiece

Rental No.: SRM04606



D-606-2014

Water-Bearing Fittings

Connection Piece BB-A

- Description:
- 2 × B-hose on A-piece
 - With pendulum non-return valve
 - Dimensions (L × W × H): approx. 265 × 240 × 182 mm
 - Weight: 3.3 kg

Rental No.: SRM04629



D-574-2014

Distributor B-CBC

- Description:
- With B/CBC valve
 - Transition piece B/C, with chain
 - Dimensions (L × W × H): approx. 360 × 400 × 260 mm
 - Weight: 5.9 kg

Rental No.: SRM04627



D-575-2014

Adapter B-C

- Description:
- From sizes B/C
 - Sealing rings made from nitrile rubber
 - Oil- and petrol-resistant
 - Weight: 0.62 kg

Rental No.: SRM06043



D-576-2014

Adapter C-D

- Description:
- From sizes C/D
 - Sealing rings made from nitrile rubber
 - Oil- and petrol-resistant
 - Weight: 0.32 kg

Rental No.: SRM04630



D-577-2014

Pressure Relief Valve

- Description:
- B couplings for water inlet/outlet and B fixed coupling for drainage
 - Lighted manometer (0-25 bar),
 - Target value adjustment ring (adjustment range 2-16 bar)
 - Dimensions (L × W × H): approx. 225 × 200 × 195 mm
 - Weight: 5.25 kg

Rental No.: SRM06205



D-578-2014

Multipurpose Branchpipe C-Connection

- Description:
- Multipurpose branch pipe CM VSP
 - DIN EN 15182-3, PN 16, Storz C
 - Made completely of lightweight metal
 - With full jet lock
 - Not suitable for indoor use
 - Dimensions (W × H × D): approx. 450 × 98 × 165 mm

Rental No.: SRM09070



D-579-2014

Branchpipe D-Connection for Water Hand-Pumped Extinguisher

- Description:
- 3.5 mm borehole with D fixed coupling
 - Made from lightweight metal
 - Length: 120 mm
 - Weight: 0.15 kg

Rental No.: SRM06206



D-604-2014

Pipe Sealing Bag 10/20 FS, Vetter

- Description:
- For sealing pipes and ducts or redirecting/pumping off extinguishing water
 - Pipe diameters 10-20 cm
 - Total length: 55.5 cm
 - Weight: 0.9 kg

Rental No.: SRM09071



D-602-2014

Pipe Sealing Bag 20/40 FS, Vetter

- Description:
- For sealing pipes and ducts or redirecting/pumping off extinguishing water
 - Pipe diameters 20-40 cm
 - Total length: 57 cm
 - Weight: 3.1 kg

Rental No.: SRM09072



D-603-2014

Fire Hoses

B-Hose 20 m, Silberfuchs K2L, B75

- Description:
- Polyester mesh
 - Working pressure: 16 bar
 - Test pressure: 25 bar
 - Bursting pressure: above 60 bar
 - DIN 14811

Rental No.: SRM05953



D-3085-2011

C-Hose 15 m, Silberfuchs K2L, C42

- Description:
- Polyester mesh
 - Working pressure: 16 bar
 - Test pressure: 25 bar
 - Bursting pressure: above 60 bar
 - DIN 14811

Rental No.: SRM03729



D-3090-2011

D-hose 15 m, Silberfuchs K2L, D25

- Description:
- Polyester mesh
 - Working pressure: 16 bar
 - Test pressure: 25 bar
 - Bursting pressure: above 60 bar
 - DIN 14811

Rental No.: SRM03728



D-3091-2011

Fire Fighting Vehicles/Portable Fire Pumps

Water Tender

- Description:
- Choice of water tender TLF 24/50 or LF 16/12 with standard tank load
 - Vehicle modification by Albert Ziegler GmbH & Co. KG
 - Simple operation with high functionality
 - Additional vehicle types available by request

Rental No.: SRM04613



D-363-2017

Portable Fire Pump

- Description:
- TS 8/8 nominal flow rate
 - 800 L at 8 bar pressure, with suction height of 3 m
 - Input: 1 × A coupling (10 mm diameter)
 - Output: 2 × B couplings (75 mm diameter)

Rental No.: SRM04631



D-8795-2009

Safety Equipment for Hot Work

Welding Curtain

1,800 × 1,400 mm,
0.4 mm strong

- Description:
- For cover and protection when working at high temperatures
 - For use as a tarp with eyelets
 - Drape (180 × 140 mm; 0.4 mm thick)

Rental No.: SRM03992



D-3112-2011

Fire Blanket (Fibreglass)

2,000 × 1,600 mm

- Description:
- For extinguishing flames, especially for wrapping around burning persons
 - Made from flame-resistant fibreglass mesh with very strong insulating properties
 - Dimensions (L × W): 2,000 × 1,600 mm
 - Weight: 1.7 kg

Rental No.: SRM09120



D-607-2014





COMMUNICATION/ LIGHTING/ENERGY

Seamless communication at construction sites and industrial facilities is essential for occupational safety. Of course, adequate technical equipment is a must here. This calls for low-disturbance radio units and mobile phones with high call quality that are also ATEX-certified. For work in conductive areas, only electric devices may be used that comply with extra-low voltage protection. That is something our protective isolating transformers and lighting solutions provide.

Mobile Radio Systems

Radio Device GP380 ATEX UHF (Motorola)



- Description:**
- Private mobile radio system with transmitter station (installation required)
 - Durable design with intuitive operation
 - Operating life up to 11 hours
 - 255 channels
 - 5-tone signalling possible, incl. call alarm tone with gradual volume increase
 - IP54 safety standard

Note: For use, please order the necessary accessories, such as battery, separately.

Rental No.: SRM03803

D-388-2017

Equipment

	Description	Rental No.
A	Power supply for single charging unit GP340/380 (Motorola)	SRM03889
B	Single charging unit GP340/380 (Motorola)	SRM03888
	Six-unit high-speed charger for GP340/380 (Motorola) wireless devices	SRM03766
	Lithium ion battery (ATEX) for GP340/380 (Motorola), grooved	SRM06545
C	Manual control unit (ATEX) for GP340/380 (Motorola)	SRM05269
D	Belt holster for Leather carrying case for GP340/380 (Motorola)	SRM03935
E	Leather carrying case GP340/380 (Motorola)	SRM03767
F	Shoulder strap for leather carrying case GP340/380 (Motorola)	SRM03769

A

D-14227-2014

B

D-14226-2014

C

D-14197-2014

D

D-14193-2014

E

D-14219-2014

F

D-14228-2014

Radio Device GP340 ATEX UHF, Light Blue (Motorola)



- Description:**
- Private radio system
 - Operating life up to 14 hours
 - 16 channels
 - Acoustic low-battery signal
 - Call forwarding
 - IP54 safety standard
 - ATEX-approved

Note: For use, please order the necessary accessories, such as battery, separately.

Rental No.: SRM06546



D-3097-2011

Equipment

	Description	Rental No.
A	Power supply for single charging unit GP340/380 (Motorola)	SRM03889
B	Single charging unit GP340/380 (Motorola)	SRM03888
C	Six-unit high-speed charger for GP340/380 (Motorola) wireless devices	SRM03766
	Lithium ion battery (ATEX) for GP340/380 (Motorola), grooved	SRM06545
D	Manual control unit (ATEX) for GP340/380 (Motorola)	SRM05269
	Belt holster for leather carry case for GP340/380 (Motorola)	SRM03935
E	Leather carrying case GP340/380 (Motorola)	SRM03767
F	Shoulder strap for leather carrying case GP340/380 (Motorola)	SRM03769



Radio Device DP4401 ATEX UHF (Motorola)

Description:	– ATEX-approved
	– 32 channels
	– IP76 label
	– GPS location tracking
	– Explosion-proof
	– Location and movement transmitter with personal emergency alarm

Note: For use, please order the necessary accessories, such as battery, separately.

Rental No.: SRM10964



D-739-2016

Equipment

	Description	Rental No.
A	Lithium ion battery (ATEX) for DP4401 (Motorola)	SRM10965
B	Single-unit high-speed charger for DP4401 (Motorola) wireless devices	SRM11092
C	Six-unit high-speed charger for DP4401 (Motorola) wireless devices	SRM10966
D	Mains adapter for DP4401 (Motorola) single-unit high-speed charger	SRM11093
E	Leather carry case for DP4401 (Motorola)	SRM10967
	Belt holster for leather carry case for DP4401 (Motorola)	SRM10968
F	Manual control unit (ATEX) for DP4401 (Motorola)	SRM10969

A



D-760-2016

B



D-740-2016

C



D-608-2014

D



D-741-2016

E



D-742-2016

F



D-761-2016

Mobile Radio System Accessories

D-14226-2014



**Lithium ion battery (ATEX)
for GP340/380 (Motorola),
grooved**

Rental No.: SRM06545

D-14226-2014



**Single charging unit
GP340/380 (Motorola)**

Rental No.: SRM03888

D-403-2017



**Six-unit high-speed charger
for GP340/380 (Motorola)
wireless devices**

Rental No.: SRM03766

D-14227-2014



**Power supply for single
charging unit GP340/380
(Motorola)**

Rental No.: SRM03889

D-424-2017



**Leather carrying case
GP340/380 (Motorola)**

Rental No.: SRM03767

D-14228-2014



**Shoulder strap for leather
carrying case GP340/380
(Motorola)**

Rental No.: SRM03769

D-14193-2014



**Belt holster for leather carry
case for GP340/380
(Motorola)**

Rental No.: SRM03935

D-14199-2014



**Helmet headset (Neckband)
for GP340/380 (Motorola)**

Rental No.: SRM04637

D-14197-2014



**Manual control unit (ATEX) for
GP340/380 (Motorola)**

Rental No.: SRM05269

D-14196-2014



**Dräger manual control unit
C-C500/GP340/GP380**

Rental No.: SRM06427

Order No.: R60640

D-14190-2014



**Base station radio device
(Motorola)**

Rental No.: SRM06421

D-14188-2014



**Headset 12 pin ATEX for
GP340/380 (Motorola)**

Mobile radio system
accessories

Rental No.: SRM08401

D-14184-2014



**Manual control unit 12 pin
ATEX for GP340/380
(Motorola)**

Rental No.: SRM08403

D-14189-2014



**Adapter 12 pin ATEX for
GP340/380 (Motorola)**

Rental No.: SRM08402

D-760-2016



**Lithium ion battery (ATEX)
for DP4401 (Motorola)**

Rental No.: SRM10965

D-740-2016



**Single-unit high-speed
charger for DP4401
(Motorola) wireless devices**

Rental No.: SRM11092

D-608-2014



**Six-unit high-speed charger
for DP4401 (Motorola)
wireless devices**

Rental No.: SRM10966

D-741-2016



**Mains adapter for DP4401
(Motorola) single-unit
high-speed charger**

Rental No.: SRM11093

D-742-2016



**Leather carry case for
DP4401 (Motorola)**

Rental No.: SRM10967

D-743-6016



**Belt holster for leather carry
case for DP4401 (Motorola)**

Rental No.: SRM10968

D-761-2016



**Manual control unit (ATEX)
for DP4401 (Motorola)**

Rental No.: SRM10969

Mobile Communication

EX Mobile Phone (Ecom 06 - Belt 1)

- Description:
- Explosion-proof mobile telephone
 - Suitable for atmospheres from -20°C to +55°C
 - Charging accessories and ATEX carry case included as standard
 - ATEX zones 01 and 21
 - IP67

Rental No.: SRM06891



D-744-2016

EX Mobile Phone (Ecom 09 - Zone 1/21)

- Description:
- Explosion-proof mobile telephone
 - Charging accessories and ATEX carry case included as standard
 - IP68
 - Shock- and shake-resistant
 - Temperature resistant
 - Oil- and chemical-resistant

Rental No.: SRM11595



D-745-2016

EX Smartphone (Zone 1)

- Description:
- Android operating system
 - Suitable for atmospheres from -20°C to +55°C
 - Charging accessories and ATEX carry case included as standard
 - 16 GB internal memory
 - IP68

Rental No.: SRM10906



D-746-2016

Alarm Amplifiers

Multi-Tone Horn

- Description:
- Alarm amplifier for worksite and hazard safety
 - Powered by non-flammable compressed gas
 - Sound pressure: 116 dB
 - Frequency: 400 Hz
 - Weight: 0.3 kg

Rental No.: SRM04640



STL-15294/2008

Megaphone

- Description:
- Suitable for noisy work environments
 - Built-in feedback suppressor
 - Infinitely variable volume control
 - Weight: 1.65 kg

Rental No.: SRM04641



STL-15300/2008

Mobile Lighting

Dräger Helmet Light PX 1 XENON

- Description:
- Durable, heat-resistant helmet lamp
 - ATEX- and system-approval with Dräger helmet, acc. EN 443:2008
 - Reflector with xenon illuminant
 - Luminosity: 50 lumen

Rental No.: SRM06302

Order No.: R57816



D-1131-2010

Dräger Helmet Light PX 1 LED

- Description:
- High-power lamp in polycarbonate housing
 - ATEX- and system-approval with Dräger helmet, acc. EN 443:2008
 - Reflector with LED illuminant
 - Luminosity: 50 lumen

Rental No.: SRM06307

Order No.: R57815



D-1131-2010

Hand Spotlight ATEX

- Description:
- Xenon illuminant
 - Permanent or blinking mode
 - Swivelling light unit
 - Charge-level indicator
 - IP64 housing
 - ATEX-approved

Rental No.: SRM05695



D-573-2014

Construction Site Lamp HL-95 ATEX

- Description:
- Signal light for warning against obstacles and hazards
 - Freestanding and suitable for use in zones 0, 1 and 2
 - Permanent lighting for 500 hours or blinking mode for 1,500 hours
 - Durable lamp housing made from polypropylene

Rental No.: SRM06586



D-572-2014

Construction Site Lamp Type Future/Future D

- Description:
- Stable, break-proof lamp housing
 - Durable, easy-to-replace electrical components
 - Easy battery change requiring no complete disassembly of the lamp
 - Permanent or blinking light
 - EN 12352 - L6

Rental No.: SRM11841



D-571-2014

Lighting Accessories/ Safety Transformers

D-14201-2014



Cable Drum 25 m, 230 V Schuko

Cable drum and overheat
protection

3 protective-contact sockets

Cable type: H05VV-F 3G1.5

Rental No.: SRM07302

D-14202-2014



Cable Drum 50 m, 230 V Schuko

Cable drum and overheat
protection

3 protective-contact sockets

Cable type: H05VV-F 3G1.5

Rental No.: SRM08922

STL-15303-2008



Isolating Transformer 230 V/230 V

Full rubber casing

With protective-contact socket
without ground contact

Fuse protection: D01 Neozed
fuses 16A/1 pole

Rental No.: SRM03685





VEHICLES/ CONSTRUCTION SITE EQUIPMENT

Whether by bike, lift truck or pushcart: Our rental transport solutions help you move the needed material to the right place. And your sensitive equipment is securely packed in our transport boxes. Safety zones can be assigned with the help of traffic cones, barrier beams and manhole guards.

If additional infrastructure is needed at the time of your project, you will find our construction site containers suitable. You can order them as personnel, sanitation or storage containers.

Bicycles

Industrial Bicycle

- Description:
- A range of models available, from roadster to mountain bike
 - Available with/without light, with/without luggage rack
 - Meets all current safety regulations
 - Durable tyres
 - Available in standard frame heights
 - For getting around the area quickly

Rental No.: Diverse



STL-15315-2008

Industrial Bicycle with Simple Porter

- Description:
- For getting around the area quickly
 - Available with or without light
 - Porter at the rear
 - AL 6061 aluminium alloy
 - 50 cm frame height
 - Durable reflex tyres

Rental No.: SRM08774



STL-15315-2008

Industrial Bicycle with Porter for Transportation Box

- Description:
- For getting around the area quickly
 - Available with or without light
 - Porter at the front and rear
 - AL 6061 aluminium alloy
 - 50 cm frame height
 - Durable reflex tyres

Rental No.: SRM08775



D-599-2014

Transportation and Storage Tools

Transport Box (MDF)

- Description:
- Reusable transport and storage container made from MDF panelling
 - For transporting compressed air breathing apparatuses and compressed air hose accessories
 - Lockable
 - Dimensions: H × W × D: 285 × 765 × 345 mm

Rental No.: SRM03609



STL-15319-2008

Transport Box (ALU) 100 × 48 × 38

- Description:
- Sturdy chest with lid and carry handles
 - Lockable for storing valuables
 - Highly resistant to corrosion due to stainless steel fittings
 - For secure storage of tools and equipment on worksites

Rental No.: SRM05205



STL-15320-2008

Schaefer Box Small

- Description:
- Closed bottom and sides
 - Dimensions: H × W × D: 285 × 595 × 400 mm
 - Stackable

Rental No.: SRM03797



D-14260-2014

Schaefer Box Medium

- Description:
- Closed bottom and sides
 - Dimensions: H × W × D: 420 × 600 × 400 mm
 - Stackable

Rental No.: SRM03796



D-14281-2014

Schaefer Box Large

- Description:
- Closed bottom and sides
 - Dimensions: H × W × D: 420 × 800 × 590 mm
 - Stackable

Rental No.: SRM03795



D-14260-2014

Lattice Box Pallet

- Description:
- Sturdy steel construction
 - Two hatches on the long side
 - Dimensions: L × W × H: 1,240 × 835 × 970 mm
 - 750 L volume

Rental No.: SRM05445



D-582/2014

Gas Cylinder Pallet for 12 cyl. a 50 L

- Description:
- Transportable gas cylinder pallet made from hot-dip galvanised steel
 - For storing and safekeeping of empty and full gas cylinders
 - Transportable by crane, forklift or lift truck

Rental No.: SRM09008



D-583/2014

Handling Equipment

Lift Truck

- Description:
- Hand pallet truck for light lifting, moving or lowering
 - With fork entry rollers for travelling over thresholds
 - Load capacity: max. 2,000 kg
 - Maintenance-free hydraulics
 - Nylon tyres for low roll resistance and minimum steering force

Rental No.: SRM04661



STL-15314-2008

Hand Truck

- Description:
- Mobile trolley for transporting loads
 - Pneumatic tyres for absorbing impacts when travelling over minor bumps
 - Loading shovel with wheel guard

Rental No.: SRM04610



STL-15325-2008

Construction Site Safety

Manhole Cover, red-white

- Description:
- Securing and blocking access to manholes
 - Quick assembly with tractive magnets
 - 400-600 mm diameter
 - Adjustable to other sizes

Rental No.: SRM06910



D-364-2017

Warning Sign (No Admittance)

- Description:
- Warning sign made from galvanised sheet steel
 - For worksite safety
 - For documenting test values

Rental No.: SRM07663



D-14283-2014

Traffic Cone 50 cm

- Description:
- With day-glow reflective strips
 - Stackable
 - Stacking formation prevents cones from becoming stuck together

Rental No.: SRM04773



STL-15339-2008

RunOver Protection System

- Description:
- Suitable for two B hoses
 - Resistant to tearing and breaking
 - With reflective strips
 - Adjustable to uneven grounds

Rental No.: SRM09073




D-600-2014

Safety Hook, 55 kg

- Description:
- Safety hooks for positioning leads at high elevations
 - Minimises the risk of falling and keeps walkways clear
 - Made from plastic, non-conductive to electricity and heat

Rental No.: SRM03709

Order No.: DB021




STL-15340-2008

Safety Hook, 190 kg

- Description:
- Safety hooks for positioning leads at high elevations
 - Minimises the risk of falling and keeps walkways clear
 - Made from plastic, non-conductive to electricity and heat

Rental No.: SRM03708

Order No.: DB022



STL-15340-2008





MEDICAL AND EMERGENCY MEDICAL TECHNOLOGY

To be prepared for any contingency, everything should always be close at hand: from the first-aid kit for up to 20 people to rescue stretchers and mobile emergency showers. This allows on-site teams to react quickly following an accident, and initiate first-aid even before rescue teams arrive on the scene.

Medical and Emergency Medical Technology

First Aid Kit, for 5 Injured, DIN 13157

- Description:
- ABS plastic, impact- and break-resistant
 - For care of up to five injured persons
 - Contents acc. DIN 13157
 - Optional wall mount

Rental No.: SRM04017



D-567-2014

First Aid Kit, for 20 Injured, DIN 13169

- Description:
- ABS plastic, impact- and break-resistant
 - For care of up to 20 injured persons
 - Contents acc. DIN 13157
 - Optional wall mount

Rental No.: SRM04016



D-566-2014

Stretcher

- Description:
- For transporting ill or injured persons
 - Upholstery made from coated synthetic fibre: low maintenance and disinfectable
 - With insertable carry handles
 - Patient safety strap with easy-to-use buckles

Rental No.: SRM04670



D-561-2014

Emergency Safety Shower

Description:

- Tank volume: 1,200 L
- Electrical connection: 230 V
- Dimensions: D × W × H: 148 × 132 × 352.5 cm
- Carry-frame made from hot-dip galvanised steel

Rental No.: SRM05201



D-8811-2009

In action for you worldwide

Around the globe, there are more than 1,000 Dräger employees at customers' job sites – every single day. Dräger Rental Service delivers from 18 centres worldwide.



■ Rental Service Central Warehouses



D-184-2017

»We supply the optimal
equipment. If needed,
be within a few hours.«

YOUR RENTAL SERVICE TEAM
DRÄGER RENTAL & SAFETY SERVICES

We keep you up to speed

Our comprehensive services in medical and safety technology ensure maximum performance for your company.

To ensure that you achieve your objectives, we work closely together and support you with the service offering that fits best.

We are always by your side with our experience, flexibility and uncompromising quality standards in pursuit of your success.

That is our promise.

Rental & Safety Services
10 Jahre
Mit dem Herzen dabei



SIMPLY ORDER NOW!

All rental products presented here are available online in our Dräger Rental Webshop. You can choose from individual configurations or All-In-One-Packages for standard applications. Request your personalised offer now!

To do so, please visit
<http://www.rentalshop.draeger.com>

Standard Rental Terms and Conditions

Dräger Safety AG & Co. KGaA – Rental & Safety Services

Last updated: 08/2017

1 Scope

- 1.1 These standard rental terms and conditions ("SRTC") apply to the rental of equipment described in further detail in the attached description of products and services ("Rental Equipment") by Dräger* to third parties ("Lessee") and are incorporated by reference in all offers and agreements pertaining to such rental arrangements.
- 1.2 No derogating terms of the Lessee shall apply unless Dräger expressly agrees to such terms in writing.
- 1.3 The terms of these SRTC apply except where Dräger and the Lessee expressly agree in writing to the application of derogating terms.

2 Delivery and Terms of Use

- 2.1 The Rental Equipment is delivered at Dräger's risk. Transport costs are not included in rent payments and will be billed by Dräger separately.
- 2.2 The Lessee shall unpack the Rental Equipment immediately upon its receipt and inspect for transport damage. In the event of transport damage, a damage report shall be prepared immediately in order to safeguard any damages claims against the carrier (postal service, rail service, freight company, etc.). If no defects are reported by the Lessee within three (3) working days, the Rental Equipment shall be deemed delivered free of defects.
- 2.3 At Dräger's request, the Lessee will advise it in writing of the location where the Rental Equipment is to be used. Subject to giving advance notice, Dräger may inspect the Rental Equipment at any time.
- 2.4 When using the Rental Equipment, the Lessee shall follow the operating instructions and comply with the applicable statutory and regulatory provisions, as well as the applicable workers' compensation scheme regulations.
- 2.5 If the Rental Equipment is contaminated with hazardous substances, the Lessee is subject to a mandatory requirement to notify Dräger hereof by means of the "Contamination notice" form. The Lessee bears the costs of the appropriate professional decontamination. If it is not possible to decontaminate the equipment without incurring unreasonable time cost and expense, Dräger will properly dispose of the equipment. In such cases, the Lessee shall bear the replacement cost based on the list price. If the Lessee fails to report potential contamination, the Lessee shall be liable for all ensuing damage suffered by Dräger or any third party.
- 2.6 Use of the Rental Equipment in foreign countries is only permitted with prior written consent of Dräger.
- 2.7 The Rental Equipment may only be transferred to third parties – e.g. by way of a sub- rental – with Dräger's permission.

3 Rental Term

- 3.1 The rent begins on the date of delivery and ends upon expiry of the agreed term or on the agreed return date. Where no rental term or return date has been expressly agreed, a minimum term of seven days shall apply.
- 3.2 The Lessee shall return the Rental Equipment to Dräger in proper condition at the end of the rental term.
- 3.3 The rental term may be extended by agreement with Dräger; however, the Lessee has no right to an extension.

4 Rent Payments

- 4.1 The rent payments for the Rental Equipment and accessories and any additional services, e.g. courier costs, are set forth in the description of products and services. Rent payments are due net within 14 days after receipt of the invoice. If the rental term is longer than 30 calendar days, Dräger is entitled, but not obliged, to issue interim invoices.
- 4.2 If the Rental Equipment or part thereof is returned late, an appropriate flat fee will be charged for the overdue period. Where the amount of rent payments is not specifically agreed in any rent extension, the previously agreed rent payments will continue to apply pro rata temporis. The date on which Dräger receives returned Rental Equipment determines whether the equipment was returned late.
- 4.3 If the Rental Equipment or part thereof is returned earlier than contractually agreed, rent payments will be calculated based on the actual rental term. This may have an impact on the price per day/per week, but under no circumstances will the overall price increase.
- 4.4 The Lessee may withdraw from the rent free and without giving any cause up to 14 days prior to the agreed begin of the rent. The Lessee shall inform Dräger about such withdrawal in writing.
If the Lessee withdraws without cause within 14 to 5 days prior to the agreed begin of the rent, then Dräger is entitled to demand 40% of the agreed remuneration as lump-sum compensation.
If the Lessee withdraws without cause within 5 days prior to the agreed begin of the rent, then Dräger is entitled to demand 70% of the agreed remuneration as lump-sum compensation.
Dräger expressly reserves the right to claim further damages. Any paid compensation will be set-off further damages.

5 Maintenance and Care of the Rental Equipment

- 5.1 The Lessee bears all operating costs of the Rental Equipment.
- 5.2 The Lessee shall treat the Rental Equipment with professional care, and when operating the Rental Equipment must carefully observe the instructions for use provided by Dräger or the manufacturer. If the equipment becomes dirty beyond the usual extent, Dräger may charge to the Lessee necessary cleaning costs, however no less than EUR 50 per piece of equipment affected.
- 5.3 To the extent necessary for the ordinary use of the Rental Equipment the Lessee shall properly calibrate, test and inspect the equipment. The Lessee may assign these tasks to Dräger. Only Dräger is authorized to carry out maintenance and repair work going beyond such calibration, testing and inspection. Other persons may not perform any calibration or maintenance measures on the Rental Equipment. The Lessee is required to deliver Rental Equipment to Dräger for necessary maintenance measures. Dräger will provide the Lessee with substitute equipment while maintenance is being carried out. The Lessee bears the costs for regular maintenance during the rental term, except where the Rental Equipment was provided by Dräger with defects.

- 5.4 The Lessee is liable for any damage to, theft or loss of the Rental Equipment and shall bear all costs of repair or replacement, unless the Lessee is not legally responsible (intentional or negligent acts or omission) for such loss or damage.
- 5.5 The Lessee shall keep the Rental Equipment free and clear of claims by third parties, e.g. sequestration and judicial execution. The Lessee shall notify Dräger without undue delay of any such claims and provide it with the relevant documents. The Lessee shall indemnify and defend Dräger against all claims by third parties against Dräger based on the Lessee's use of the Rental Equipment. The Lessee will pay all fees, contributions and other charges levied during the rental term as a result of the rent, possession or use of the Rental Equipment, or on the basis of the Lessee's capacity as operator of the Rental Equipment.
- 5.6 The Lessee may not combine the Rental Equipment with other equipment or realty in such a way that it becomes an essential component of such other equipment that may lead, under the applicable law, to a change in legal ownership of the Rental Equipment.
- 5.7 Since the Rental Equipment is in the Lessee's possession and therefore within the Lessee's area of responsibility, the Lessee bears the risk of any loss or damage to the Rental Equipment. If the Rental Equipment is lost or destroyed, the Lessee shall pay either the replacement value based on the list price of the Rental Equipment concerned or replace it with another functional piece of equipment of the same type which is in at least the same, condition (e.g., age, wear and tear, service history), , unless the Lessee is not legally responsible (intentional or negligent acts or omission) for such loss or damage. The replacement equipment shall replace the lost or destroyed Rental Equipment. The Lessee shall hold the replacement equipment on behalf of Dräger for the remaining rental term.

6 Extraordinary Termination

- 6.1 Both parties have the right to terminate the rent without notice for good cause. Dräger is deemed to have good cause for termination if the Lessee fails within a reasonable time, usually five working days, to meet its obligations under clause 5 of these Rental Terms, despite receiving a written default notice, or if insolvency proceedings or similar proceedings to settle the Lessee's debts are commenced in respect of the Lessee's assets. If Dräger terminates for good cause, Dräger has an immediate damages claim against the Lessee which encompasses all overdue rent payments up to the date of termination without notice, plus the rent payments that would have accrued up until the intended end of the rent, unless the Rental Equipment can be rented to another party during that period.
- 6.2 The Lessee is in any case also liable for all other loss or damage resulting from the premature termination of the agreement, unless the Lessee is not legally responsible for such loss or damage.
- 6.3 Regardless of whether Dräger claims damages from the Lessee, the Lessee is required to return the Rental Equipment to Dräger without undue delay in the event of termination without notice. The Lessee is solely responsible for the costs associated with returning the Rental Equipment.

7 End of Rent

At the end of the rent, the Lessee shall, at its own risk and expense, return the Rental Equipment, including any accessories and operating instructions, to the address nominated by Dräger when the equipment was originally delivered. When returning the Rental Equipment, the Lessee must particularly ensure that it is appropriately packaged and handled; the Lessee bears any costs incurred as a result of repairing transport damage.

8 Insurance and Liability

- 8.1 The Lessee is liable for the risks associated with the Rental Equipment and will insure itself against such risks accordingly. All insurance pay-outs (except for third party liability insurance) are to be primarily used for the purpose of repairing or replacing the Rental Equipment. The Lessee shall satisfy all third party claims associated with salvage and maintenance operations as and when they fall due. The Lessee indemnifies Dräger against all claims brought against it by third parties as a result of any negligent breach of duty by the Lessee, unless the Lessee is not legally responsible for the breach of duty.
- 8.2 Dräger shall be liable to the Lessee in accordance with the relevant statutory provisions in the event of wilful conduct, gross negligence on the part of governing bodies or executive employees, culpable injury to life, limb or health, defects maliciously concealed by Dräger or the absence of which was guaranteed by Dräger, as well as in accordance with the German Product Liability Act (Produkthaftungsgesetz) in the case of liability for personal damages and property damage to privately used items.
- 8.3 In the event of a breach of material contractual obligations, Dräger shall also be liable in the event of gross negligence on the part of ordinary employees and for ordinary negligence. Liability for ordinary negligence shall be limited to foreseeable damage typical of this type of agreement.
- 8.4 Compensatory damages claims against Dräger or its vicarious agent other than those governed by this Section – whatever the legal basis therefor – shall be excluded.

9 Miscellaneous, Place of Jurisdiction

- 9.1 All collateral agreements, reservations of title, amendments and other agreements pertaining to these rental terms must be in writing in order to be valid. Where a clause of these terms is or becomes void, this shall not affect the validity of the other clauses. In such a case, the parties agree to make an appropriate amendment to the rent.
- 9.2 The exclusive place of jurisdiction is Lübeck.
- 9.3 These SRTC are governed by German law, subject to the exclusion of the conflict of laws provisions.

Not all products, features, or services are for sale in all countries.
Mentioned Trademarks are only registered in certain countries and not necessarily in the country in which this material is released. Go to www.draeger.com/trademarks to find the current status.

CORPORATE HEADQUARTERS

Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany

www.draeger.com

REGION DACH

Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION EUROPE

Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION MIDDLE EAST, AFRICA

Dräger Safety AG & Co. KGaA
Branch Office
P.O. Box 505108
Dubai, United Arab Emirates
Tel +971 4 4294 600
Fax +971 4 4294 699
contactuae@draeger.com

REGION ASIA PACIFIC

Draeger Singapore Pte. Ltd.
25 International Business Park
#04-20/21 German Centre
Singapore 609916
Tel +65 6308 9400
Fax +65 6308 9401
asia.pacific@draeger.com

REGION CENTRAL AND SOUTH AMERICA

Dräger Panama S. de R.L.
59 East Street, Nuevo Paitilla,
House 30, San Francisco Town
Panama City, Panama
Tel +507 377 9100
Fax +507 377 9130
servicioalcliente@draeger.com

Locate your Regional Sales
Representative at:
www.draeger.com/contact

